

Oracle Database 11g: Data Guard Administration

Student Guide

D52161GC30

Edition 3.0

May 2010

D67578

ORACLE®

Authors

Mark Fuller
Donna K. Keesling

Technical Contributors and Reviewers

Todd Bao
Harald van Breederode
Michael Cebulla
Joel Goodman
Uwe Hesse
Pete Jones
Nitin Karkhanis
Frank Kobylanski
Sadhana Kyathappala
Stephen Moriarty
Javier Saiz
Madhavi Siddireddy
Jim Spiller
Milgred Tumolo
Branislav Valny
Jean-Francois Verrier
Pam Welford

Editors

Aju Kumar
Amitha Narayan
Nita Pavitran

Graphic Designer

Satish Bettgowda

Publishers

Syed Imtiaz Ali
Sumesh Koshy
Veena Narasimhan

Copyright © 2010, Oracle and/or its affiliates. All rights reserved.

Disclaimer

This document contains proprietary information and is protected by copyright and other intellectual property laws. You may copy and print this document solely for your own use in an Oracle training course. The document may not be modified or altered in any way. Except where your use constitutes "fair use" under copyright law, you may not use, share, download, upload, copy, print, display, perform, reproduce, publish, license, post, transmit, or distribute this document in whole or in part without the express authorization of Oracle.

The information contained in this document is subject to change without notice. If you find any problems in the document, please report them in writing to: Oracle University, 500 Oracle Parkway, Redwood Shores, California 94065 USA. This document is not warranted to be error-free.

Restricted Rights Notice

If this documentation is delivered to the United States Government or anyone using the documentation on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS

The U.S. Government's rights to use, modify, reproduce, release, perform, display, or disclose these training materials are restricted by the terms of the applicable Oracle license agreement and/or the applicable U.S. Government contract.

Trademark Notice

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Contents

Preface

1 Introduction to Oracle Data Guard

- Objectives 1-2
- What Is Oracle Data Guard? 1-3
- Types of Standby Databases 1-4
- Types of Data Guard Services 1-6
- Role Transitions: Switchover and Failover 1-7
- Oracle Data Guard Broker Framework 1-9
- Choosing an Interface for Administering a Data Guard Configuration 1-10
- Oracle Data Guard: Architecture (Overview) 1-11
- Primary Database Processes 1-12
- Standby Database Processes 1-13
- Physical Standby Database: Redo Apply Architecture 1-14
- Logical Standby Database: SQL Apply Architecture 1-15
- Automatic Gap Detection and Resolution 1-16
- Data Protection Modes 1-17
- Data Guard Operational Requirements: Hardware and Operating System 1-19
- Data Guard Operational Requirements: Oracle Database Software 1-20
- Benefits of Implementing Oracle Data Guard 1-21
- Quiz 1-22
- Summary 1-24

2 Creating a Physical Standby Database by Using SQL and RMAN Commands

- Objectives 2-2
- Steps to Create a Physical Standby Database 2-3
- Preparing the Primary Database 2-4
- FORCE LOGGING Mode 2-5
- Configuring Standby Redo Logs 2-7
- Creating Standby Redo Logs 2-8
- Using SQL to Create Standby Redo Logs 2-9
- Viewing Standby Redo Log Information 2-10
- Setting Initialization Parameters on the Primary Database to Control Redo Transport 2-11
- Setting LOG_ARCHIVE_CONFIG 2-12
- Setting LOG_ARCHIVE_DEST_n 2-14

Specifying Role-Based Destinations	2-15
Combinations for VALID_FOR	2-17
Defining the Redo Transport Mode	2-18
Setting Initialization Parameters on the Primary Database	2-19
Specifying Values for DB_FILE_NAME_CONVERT	2-20
Specifying Values for LOG_FILE_NAME_CONVERT	2-21
Specifying a Value for STANDBY_FILE_MANAGEMENT	2-22
Example: Setting Initialization Parameters on the Primary Database	2-23
Creating an Oracle Net Service Name for Your Physical Standby Database	2-24
Creating a Listener Entry for Your Standby Database	2-25
Copying Your Primary Database Password File to the Physical Standby Database Host	2-26
Creating an Initialization Parameter File for the Physical Standby Database	2-27
Creating Directories for the Physical Standby Database	2-28
Starting the Physical Standby Database	2-29
Setting FAL_CLIENT and FAL_SERVER Initialization Parameters	2-30
Creating an RMAN Script to Create the Physical Standby Database	2-31
Creating the Physical Standby Database	2-33
Enabling Real-Time Apply	2-34
Starting Redo Apply	2-36
Special Note: Standby Database on the Same System	2-37
Preventing Primary Database Data Corruption from Affecting the Standby Database	2-38
Quiz	2-40
Summary	2-42
Practice 2: Overview	2-43

3 Oracle Data Guard Broker: Overview

Objectives	3-2
Oracle Data Guard Broker: Features	3-3
Data Guard Broker: Components	3-4
Data Guard Broker: Configurations	3-5
Data Guard Broker: Management Model	3-6
Data Guard Broker: Architecture	3-7
Data Guard Monitor: DMON Process	3-8
Benefits of Using the Data Guard Broker	3-9
Comparing Configuration Management With and Without the Data Guard Broker	3-10
Data Guard Broker Interfaces	3-11
Using the Command-Line Interface of the Data Guard Broker	3-12
Using Oracle Enterprise Manager 10g Grid Control	3-14

Data Guard Overview Page 3-15
 Benefits of Using Enterprise Manager 3-16
 Quiz 3-17
 Summary 3-19

4 Creating a Data Guard Broker Configuration

Objectives 4-2
 Data Guard Broker: Requirements 4-3
 Data Guard Broker and the SPFILE 4-5
 Data Guard Monitor: Configuration File 4-7
 Data Guard Broker: Log Files 4-8
 Creating a Broker Configuration 4-9
 Defining the Broker Configuration and the Primary Database Profile 4-10
 Adding a Standby Database to the Configuration 4-11
 Enabling the Configuration 4-12
 Changing Database Properties and States 4-13
 Managing Redo Transport Services by Using DGMGRL 4-14
 Specifying the Connection Identifier by Using the DGConnectIdentifier
 Property 4-15
 Managing the Redo Transport Service by Using the LogXptMode Property 4-16
 Setting LogXptMode to ASYNC 4-17
 Setting LogXptMode to SYNC 4-18
 Controlling the Shipping of Redo Data by Using the LogShipping Property 4-19
 Disabling Broker Management of the Configuration or Standby Database 4-20
 Removing the Configuration or Standby Database 4-21
 Quiz 4-22
 Summary 4-24
 Practice 4: Overview 4-25

5 Creating a Physical Standby Database by Using Enterprise Manager Grid Control

Objectives 5-2
 Using Oracle Enterprise Manager to Create a Broker Configuration 5-3
 Creating a Configuration 5-4
 Creating a New Configuration 5-5
 Adding a Standby Database to an Existing Configuration 5-6
 Using the Add Standby Database Wizard 5-7
 Step 1: Specify the Backup Type 5-8
 Step 2: Specify the Backup Options (RMAN Direct Copy) 5-9
 Step 2: Specify the Backup Options (Staging Areas Example) 5-10
 Step 3: Select the Standby Database Location Instance Name 5-11

Step 3: Select the Standby Database Location Oracle Home 5-12
 Step 4: Specify the Standby Database File Locations (Staging Method) 5-13
 Step 4: Specify the Standby Database File Locations 5-14
 Step 5: Specify Standby Database Configuration Parameters 5-15
 Step 6: Review the Configuration Information 5-16
 Standby Database Creation: Processing 5-17
 Standby Database Creation: Progress 5-19
 Verifying a Data Guard Configuration 5-20
 Reviewing Results of the Verify Operation 5-21
 Performing Routine Maintenance 5-22
 Editing Standby Database Properties 5-23
 Managing Apply Services 5-24
 Changing the Basic Properties of a Database 5-25
 Changing the Advanced Properties of a Database 5-26
 Setting the Redo Transport Mode by Using Enterprise Manager 5-27
 Quiz 5-28
 Summary 5-30

6 Creating a Logical Standby Database

Objectives 6-2
 Benefits of Implementing a Logical Standby Database 6-3
 Logical Standby Database: SQL Apply Architecture 6-5
 SQL Apply Process: Architecture 6-6
 Preparing to Create a Logical Standby Database 6-7
 Unsupported Objects 6-8
 Unsupported Data Types 6-9
 Checking for Unsupported Tables 6-10
 Checking for Tables with Unsupported Data Types 6-11
 SQL Commands That Do Not Execute on the Standby Database 6-12
 Unsupported PL/SQL Supplied Packages 6-13
 Ensuring Unique Row Identifiers 6-14
 Adding a Disabled Primary Key RELY Constraint 6-16
 Creating a Logical Standby Database by Using SQL Commands 6-17
 Step 1: Create a Physical Standby Database 6-18
 Step 2: Stop Redo Apply on the Physical Standby Database 6-19
 Step 3: Prepare the Primary Database to Support a Logical Standby Database 6-20
 Step 4: Build a LogMiner Dictionary in the Redo Data 6-21
 Step 5: Transition to a Logical Standby Database 6-22
 Step 6: Open the Logical Standby Database 6-23
 Adding a Logical Standby Database to a Data Guard Broker Configuration 6-24

- Step 7: Verify That the Logical Standby Database Is Performing Properly 6-25
- Step 7: Verify That the Logical Standby Database Is Performing Properly 6-26
- Creating a Logical Standby Database by Using Enterprise Manager 6-27
 - Using the Add Standby Database Wizard 6-28
 - Securing Your Logical Standby Database 6-31
 - Automatic Deletion of Redo Log Files by SQL Apply 6-32
 - Managing Remote Archived Log File Retention 6-33
 - Managing SQL Apply Filtering 6-34
 - Viewing SQL Apply Filtering Settings 6-36
 - Managing SQL Apply Filtering by Using Enterprise Manager 6-37
 - Using DBMS_SCHEDULER to Create Jobs on a Logical Standby Database 6-38
- Quiz 6-39
- Summary 6-41
- Practice 6: Overview 6-42

7 Creating and Managing a Snapshot Standby Database

- Objectives 7-2
- Snapshot Standby Databases: Overview 7-3
- Snapshot Standby Database: Architecture 7-4
- Converting a Physical Standby Database to a Snapshot Standby Database 7-5
- Activating a Snapshot Standby Database: Issues and Cautions 7-6
- Snapshot Standby Database: Target Restrictions 7-7
- Viewing Snapshot Standby Database Information 7-8
- Using DGMGRL to View Snapshot Standby Database Information 7-9
- Converting a Snapshot Standby Database to a Physical Standby Database 7-11
- Quiz 7-12
- Summary 7-13
- Practice 7: Overview 7-14

8 Using Oracle Active Data Guard

- Objectives 8-2
- Oracle Active Data Guard 8-3
- Using Real-Time Query 8-4
- Enabling Real-Time Query 8-5
- Disabling Real-Time Query 8-7
- Checking the Standby's Open Mode 8-8
- Understanding Lag in an Active Data Guard Configuration 8-9
- Monitoring Apply Lag: V\$DATAGUARD_STATS 8-10
- Monitoring Apply Lag: V\$STANDBY_EVENT_HISTOGRAM 8-11
- Setting a Predetermined Service Level for Currency of Standby Queries 8-12

Configuring Zero Lag Between the Primary and Standby Databases 8-13
Setting STANDBY_MAX_DATA_DELAY by Using an AFTER LOGON Trigger 8-14
Example: Setting STANDBY_MAX_DATA_DELAY by Using an AFTER
LOGON Trigger 8-15
Forcing Redo Apply Synchronization 8-16
Creating an AFTER LOGON Trigger for Synchronization 8-17
Supporting Read-Mostly Applications 8-18
Example: Transparently Redirecting Writes to the Primary Database 8-19
Enabling Block Change Tracking on a Physical Standby Database 8-20
Creating Fast Incremental Backups 8-21
Enabling Block Change Tracking 8-22
Monitoring Block Change Tracking 8-23
Quiz 8-24
Summary 8-25
Practice 8: Overview 8-26

9 Configuring Data Protection Modes

Objectives 9-2
Data Protection Modes and Redo Transport Modes 9-3
Data Protection Modes 9-4
Maximum Protection Mode 9-5
Maximum Availability Mode 9-6
Maximum Performance Mode 9-7
Comparing Data Protection Modes 9-8
Setting the Data Protection Mode by Using DGMGRL 9-9
Setting the Data Protection Mode 9-10
Quiz 9-12
Summary 9-13
Practice 9: Overview 9-14

10 Performing Role Transitions

Objectives 10-2
Role Management Services 10-3
Role Transitions: Switchover and Failover 10-4
Switchover 10-5
Switchover: Before 10-6
Switchover: After 10-7
Preparing for a Switchover 10-8
Performing a Switchover by Using DGMGRL 10-9
Performing a Switchover by Using Enterprise Manager 10-10

- Considerations When Performing a Switchover to a Logical Standby Database 10-13
- Situations That Prevent a Switchover 10-14
- Failover 10-15
- Types of Failovers 10-16
- Failover Considerations 10-17
- Performing a Manual Failover by Using DGMGRL 10-18
- Reenabling Disabled Databases by Using DGMGRL 10-19
- Performing a Failover by Using Enterprise Manager 10-20
- Performing a Failover to a Physical Standby Database 10-23
- Performing a Failover to a Logical Standby Database 10-24
- Quiz 10-25
- Summary 10-27
- Practice 10: Overview 10-28

11 Using Flashback Database in a Data Guard Configuration

- Objectives 11-2
- Using Flashback Database in a Data Guard Configuration 11-3
- Overview of Flashback Database 11-4
- Configuring Flashback Database 11-5
- Configuring Flashback Database by Using Enterprise Manager 11-6
- Using Flashback Database Instead of Apply Delay 11-8
- Using Flashback Database and Real-Time Apply 11-9
- Using Flashback Database After RESETLOGS 11-10
- Flashback Through Standby Database Role Transitions 11-12
- Using Flashback Database After Failover 11-13
- Quiz 11-14
- Summary 11-15
- Practice 11: Overview 11-16

12 Enabling Fast-Start Failover

- Objectives 12-2
- Fast-Start Failover: Overview 12-3
- When Does Fast-Start Failover Occur? 12-4
- Installing the Observer Software 12-5
- Fast-Start Failover Prerequisites 12-6
- Configuring Fast-Start Failover 12-7
- Step 1: Specify the Target Standby Database 12-8
- Step 2: Set the Protection Mode 12-9
- Step 3: Set the Fast-Start Failover Threshold 12-10
- Step 4: Set Additional Fast-Start Failover Properties 12-11

Setting the Lag-Time Limit	12-12
Configuring the Primary Database to Shut Down Automatically	12-13
Automatic Reinstatement After Fast-Start Failover	12-14
Configuring Automatic Reinstatement of the Primary Database	12-16
Setting a Connect Identifier for the Observer	12-17
Step 5: Configure Additional Fast-Start Failover Conditions	12-18
Configuring Fast-Start Failover Conditions	12-20
Step 6: Enable Fast-Start Failover	12-21
Step 7: Start the Observer	12-22
Step 8: Verify the Configuration	12-24
Initiating Fast-Start Failover from an Application	12-25
Viewing Fast-Start Failover Information	12-27
Determining the Reason for a Fast-Start Failover	12-29
Prohibited Operations After Enabling Fast-Start Failover	12-30
Disabling Fast-Start Failover	12-31
Disabling Fast-Start Failover Conditions	12-33
Using the FORCE Option	12-34
Stopping the Observer	12-35
Performing Manual Role Changes	12-36
Manually Reinstating the Database	12-37
Using Enterprise Manager to Enable Fast-Start Failover	12-38
Using Enterprise Manager to Enable Fast-Start Failover	12-42
Changing the Protection Mode and Disabling Fast-Start Failover	12-44
Using Enterprise Manager to Disable Fast-Start Failover	12-45
Using Enterprise Manager to Suspend Fast-Start Failover	12-46
Moving the Observer to a New Host	12-47
Quiz	12-48
Summary	12-50
Practice 12: Overview	12-51

13 Managing Client Connectivity

Objectives	13-2
Understanding Client Connectivity in a Data Guard Configuration	13-3
Understanding Client Connectivity: Using Local Naming	13-4
Preventing Clients from Connecting to the Wrong Database	13-5
Managing Services	13-6
Understanding Client Connectivity: Using a Database Service	13-7
Creating Services for the Data Guard Configuration Databases	13-8
Configuring Role-Based Services	13-9
Adding Standby Databases to Oracle Restart Configuration	13-11
Example: Configuring Role-Based Services	13-12

- Connecting Clients to the Correct Database 13-13
- Creating the AFTER STARTUP Trigger 13-14
- Configuring Service Names in the tnsnames.ora File 13-15
- Automatic Failover of Applications to a New Primary Database 13-16
- Data Guard Broker and Fast Application Notification (FAN) 13-17
- Enabling FAN Events in an Oracle Restart Environment 13-18
- Automating Client Failover in a Data Guard Configuration 13-19
- Client Failover: Components 13-20
- Client Failover: Best Practices 13-21
- Automating Failover for OCI Clients 13-22
- Automating Failover for OLE DB Clients 13-24
- Configuring OLE DB Clients for Failover 13-25
- Automating Failover for JDBC Clients 13-26
- Configuring JDBC Clients for Failover 13-27
- Quiz 13-28
- Summary 13-30
- Practice 13: Overview 13-31

14 Backup and Recovery Considerations in an Oracle Data Guard Configuration

- Objectives 14-2
- Using RMAN to Back Up and Restore Files in a Data Guard Configuration 14-3
- Offloading Backups to a Physical Standby 14-4
- Restrictions and Usage Notes 14-5
- Backup and Recovery of a Logical Standby Database 14-6
- Using the RMAN Recovery Catalog in a Data Guard Configuration 14-7
- Creating the Recovery Catalog 14-8
- Registering a Database in the Recovery Catalog 14-10
- Setting Persistent Configuration Settings 14-11
- Setting RMAN Persistent Configuration Parameters on the Primary Database 14-13
- Setting RMAN Persistent Configuration Parameters on the Physical Standby Database 14-15
- Setting RMAN Persistent Configuration Parameters on the Other Standby Databases 14-16
- Configuring Daily Incremental Backups 14-17
- Recovering from Loss of a Data File on the Primary Database 14-19
- Using a Backup to Recover a Data File on the Primary Database 14-20
- Using a Physical Standby Database Data File to Recover a Data File on the Primary Database 14-21
- Recovering a Data File on the Standby Database 14-23
- Enhancements to Block Media Recovery 14-24
- Executing the RECOVER BLOCK Command 14-26

Excluding the Standby Database 14-27

Quiz 14-28

Summary 14-30

Practice 14: Overview 14-31

15 Patching and Upgrading Databases in a Data Guard Configuration

Objectives 15-2

Upgrading an Oracle Data Guard Broker Configuration 15-3

Upgrading Oracle Database in a Data Guard Configuration with a Physical Standby Database 15-4

Upgrading Oracle Database in a Data Guard Configuration with a Logical Standby Database 15-6

Using SQL Apply to Upgrade the Oracle Database 15-7

Requirements for Using SQL Apply to Perform a Rolling Upgrade 15-8

Performing a Rolling Upgrade by Using SQL Apply 15-9

Identifying Unsupported Data Types 15-10

Performing a Rolling Upgrade by Using an Existing Logical Standby Database 15-11

Performing a Rolling Upgrade by Creating a New Logical Standby Database 15-17

Performing a Rolling Upgrade by Using a Physical Standby Database 15-18

Quiz 15-24

Summary 15-26

16 Monitoring a Data Guard Broker Configuration

Objectives 16-2

Monitoring the Data Guard Configuration by Using Enterprise Manager Grid Control 16-3

Viewing the Data Guard Configuration Status 16-4

Monitoring Data Guard Performance 16-5

Viewing Log File Details 16-6

Enterprise Manager Metrics and Alerts 16-7

Data Guard Metrics 16-8

Managing Data Guard Metrics 16-9

Viewing Metric Value History 16-10

Viewing Data Guard Diagnostic Information 16-11

Using Monitorable Database Properties to Identify a Failure 16-12

Using the SHOW CONFIGURATION DGMGRL Command to Monitor the Configuration 16-13

Using the SHOW DATABASE DGMGRL Command to Monitor the Configuration 16-14

Using the SHOW DATABASE VERBOSE DGMGRL Command to Monitor the

- Configuration 16-15
- Viewing Standby Redo Log Information in V\$LOGFILE 16-16
- Viewing Standby Redo Log Information in V\$STANDBY_LOG 16-17
- Identifying Destination Settings 16-18
- Setting the LOG_ARCHIVE_TRACE Initialization Parameter 16-19
- Monitoring Redo Apply by Querying V\$MANAGED_STANDBY 16-21
- Evaluating Redo Data by Querying V\$DATAGUARD_STATS 16-22
- Viewing Data Guard Status Information by Querying V\$DATAGUARD_STATUS 16-23
- Viewing V\$LOGSTDBY_TRANSACTION 16-24
- Quiz 16-25
- Summary 16-27
- Practice 16: Overview 16-28

17 Optimizing a Data Guard Configuration

- Objectives 17-2
- Monitoring Configuration Performance by Using Enterprise Manager Grid Control 17-3
- Optimizing Redo Transport Services 17-4
- Setting the ReopenSecs Database Property 17-5
- Setting the NetTimeout Database Property 17-6
- Optimizing Redo Transmission by Setting MaxConnections 17-7
- Setting the MaxConnections Database Property 17-8
- Compressing Redo Data by Setting the RedoCompression Property 17-9
- Delaying the Application of Redo 17-10
- Setting the DelayMins Database Property to Delay the Application of Redo 17-11
- Using Enterprise Manager to Delay the Application of Redo 17-12
- Optimizing SQL Apply 17-13
- Adjusting the Number of APPLIER Processes 17-14
- Adjusting the Number of PREPARER Processes 17-15
- Quiz 17-17
- Summary 17-19
- Practice 17: Overview 17-20

