

Contents

1 Course Introduction

- Lesson Agenda 1-2
- Instructor and Class Participants 1-3
- Training Site Information 1-4
- Course Audience 1-5
- Course Prerequisites 1-6
- Course Goal 1-7
- Course Objectives 1-8
- Course Methodology 1-11
- Course Materials 1-12
- Course Agenda 1-13
- Summary 1-18

2 Repository Basics

- Objectives 2-2
- Oracle BI Server Architecture 2-3
- Oracle BI Presentation Services 2-4
- Oracle BI Server 2-5
- Data Sources 2-6
- Oracle BI Repository 2-7
- Oracle BI Administration Tool 2-8
- Physical Layer 2-9
- Objects in the Physical Layer 2-10
- Business Model and Mapping Layer 2-11
- Objects in the Business Model and Mapping Layer 2-12
- Business Model Mappings 2-13
- Measures 2-15
- Presentation Layer 2-16
- Presentation Layer Mappings 2-17
- Presentation Layer Defines the User Interface 2-18
- Repository Directory 2-19
- Repository Modes 2-20
- Publishing a Repository 2-21
- Using FMW Control to Manage OBI Components 2-22
- Reloading Server Metadata 2-23

Sample Analysis Processing 2-24
Summary 2-25
Practice 2-1 Overview: Exploring an Oracle BI Repository 2-26

3 Building the Physical Layer of a Repository

Objectives 3-2
Physical Layer 3-3
Physical Layer Objects 3-4
Database Object 3-5
Database Object: General Properties 3-6
Database Object: Features 3-7
Connection Pool 3-9
Schema Folder 3-10
Physical Table 3-11
Physical Table Properties 3-12
Physical Column 3-14
Key Column 3-15
Physical Table: Alias 3-16
Joins 3-17
ABC Scenario 3-18
Implementation Steps 3-19
Create a New Repository File 3-20
Provide Repository Information 3-21
Select the Data Source 3-22
Select Metadata Types for Import 3-23
Select Metadata Objects for Import 3-24
Verify and Edit Connection Pool Properties 3-25
Verify Objects for Import 3-26
Verify Import in the Physical Layer 3-27
Verify Connectivity 3-28
Create Alias Tables 3-29
Define Keys and Joins 3-30
Define Keys by Using the Table Properties Dialog Box 3-31
Open the Physical Diagram 3-32
Define Foreign Key Joins 3-33
Use the Joins Manager 3-35
Design Tips for the Physical Layer 3-36
Summary 3-37
Practice 3-1 Overview: ABC Business Scenario 3-38
Practice 3-2 Overview: Gathering Information to Build an Initial Business Model 3-39

Practice 3-3 Overview: Creating a Repository and Importing a Data Source 3-40

Practice 3-4 Overview: Creating Alias Tables 3-41

Practice 3-5 Overview: Defining Keys and Joins 3-42

4 Building the Business Model and Mapping Layer of a Repository

Objectives 4-2

Business Model and Mapping (BMM) Layer 4-3

Objects in the Business Model and Mapping Layer 4-4

Business Model Mappings 4-5

Objects in the Business Model and Mapping Layer 4-7

Business Model Object 4-8

Logical Tables 4-9

Logical Table Sources 4-10

Logical Table Source: Column Mappings 4-11

Logical Columns 4-12

Logical Primary Keys 4-13

Logical Joins 4-14

Measures 4-15

ABC Example 4-16

Implementation Steps 4-17

1. Create the Logical Business Model 4-18

2. Create the Logical Tables and Columns 4-19

3. Define the Logical Joins 4-20

4. Modify the Logical Tables and Columns 4-21

5. Define the Measures 4-22

Design Tips 4-23

Summary 4-24

Practice 4-1 Overview: Creating the Business Model 4-25

Practice 4-2 Overview: Creating Simple Measures 4-26

5 Building the Presentation Layer of a Repository

Objectives 5-2

Presentation Layer 5-3

Subject Areas 5-4

Presentation Tables 5-5

Presentation Columns 5-6

Presentation Layer Mappings 5-7

Defining the User Interface in the Presentation Layer 5-8

Nesting Presentation Tables 5-9

Aliases 5-10

ABC Example 5-11

Implementation Steps	5-12
1. Create a New Subject Area	5-13
2. Rename Tables	5-14
3. Reorder Tables	5-15
4. Delete Columns	5-16
5. Rename Columns	5-17
6. Reorder Columns	5-18
Considerations	5-19
Design Tips	5-20
Summary	5-21
Practice 5-1 Overview: Creating the Presentation Layer	5-22

6 Testing and Validating a Repository

Objectives	6-2
Validating a Repository	6-3
ABC Example	6-4
Consistency Check	6-5
Checking Consistency	6-6
Consistency Check Manager	6-7
Using the validate_rpd Utility to Check Repository Consistency	6-8
Marking a Business Model Available for Queries	6-9
Confirming a Consistent Repository	6-10
Publishing a Repository	6-11
Using FMW Control to Start OBI Components	6-12
Query Logging	6-13
Setting a Logging Level	6-14
Logging Levels	6-15
Validating by Using the Analysis Editor	6-16
Inspecting the Query Log	6-17
Viewing Log Messages	6-18
Oracle BI SELECT Statement: Syntax	6-19
Oracle BI SELECT Statement Compared with Standard SQL	6-20
Summary	6-21
Practice 6-1 Overview: Testing a Repository	6-22

7 Managing Logical Table Sources

Objectives	7-2
Table Structures	7-3
Business Challenge	7-4
Business Solution	7-5
ABC Example: Adding Multiple Sources to a Logical Table Source (LTS)	7-6

Implementation Steps: Adding Multiple Sources to an LTS 7-7

1. Import Additional Product Tables 7-8
 2. Create Aliases 7-9
 3. Define Keys and Joins 7-10
 4. Identify Physical Columns for Mappings 7-11
 5. Add Sources to an LTS 7-12
 - 5a. Manual Method: Create New Logical Column 7-13
 - 5a. Manual Method: Add New Physical Source 7-14
 - 5a. Manual Method: Create Column Mapping 7-15
 - 5a. Manual Method: End Result 7-16
 - 5b. Drag Method 7-17
 - 5b. Drag Method: Logical Columns Added 7-18
 - 5b. Drag Method: Physical Tables Added 7-19
 - 5b. Drag Method: Column Mappings Added 7-20
 6. Rename Logical Columns 7-21
 7. Add Columns to the Presentation Layer 7-22
- ABC Example: Adding a New Logical Table Source 7-23
- Implementation Steps: Adding a New Logical Table Source 7-24
1. Examine Existing Column Mappings 7-25
 2. Identify a Single Table That Stores Both Columns 7-26
 3. Add a New Logical Table Source 7-27
 4. Define the Content of the Logical Table Source 7-28
 5. Verify Your Work 7-29
- Summary 7-30
- Practice 7-1 Overview: Enhancing the Product Dimension 7-31
- Practice 7-2 Overview: Creating Multiple Sources for a Logical Table Source (Manual) 7-32
- Practice 7-3 Overview: Creating Multiple Sources for a Logical Table Source (Automated) 7-33
- Practice 7-4 Overview: Adding a New Logical Table Source 7-34

8 Adding Calculations to a Fact

- Objectives 8-2
- Business Problem 8-3
- Business Solution 8-4
- Creating Calculation Measures by Using Existing Logical Columns 8-5
1. Create a New Logical Column 8-6
 2. Specify Logical Columns as the Source 8-7
 3. Build a Formula 8-8
- Creating Calculation Measures by Using Physical Columns 8-9
1. Create a New Logical Column 8-10

- 2. Map the New Column 8-11
- 3. Build the Formula 8-12
- 4. Specify an Aggregation Rule 8-13
- Steps for Using the Calculation Wizard 8-14
 - 1. Open the Calculation Wizard 8-15
 - 2. Choose the Columns for Comparison 8-16
 - 3. Select the Calculations 8-17
 - 4. Confirm the Calculation Measures 8-18
 - 5. New Calculation Measures Are Added 8-19
- Add New Measures to the Presentation Layer 8-20
- Examining a Query Using Physical Columns 8-21
- Example: Using Physical Columns 8-22
- Examining a Query Using Logical Columns 8-23
- Example: Using Logical Columns 8-24
- Examining a Query Using the Calculation Wizard 8-25
- Using Functions to Create Expressions 8-26
- Summary 8-27
- Practice 8-1 Overview: Creating Calculation Measures 8-28
- Practice 8-2 Overview: Creating Calculation Measures by Using the Calculation Wizard 8-29
- Practice 8-3 Overview: Creating a RANK Measure 8-30

9 Working with Logical Dimensions

- Objectives 9-2
- Logical Dimensions 9-3
- Logical Dimensions: Types 9-4
- Level-Based Measures 9-5
- Share Measures 9-6
- Logical Dimension: Example 9-7
- ABC Example 9-8
- Creating a Level-Based Logical Dimension 9-9
 - 1. Create a Logical Dimension Object 9-10
 - 2. Add a Parent-Level Object 9-11
 - 3. Add Child-Level Objects 9-12
 - 4. Specify Level Columns 9-13
 - 5. Create Level Keys 9-15
 - 6. Set the Preferred Drill Path 9-16
 - 7. Create Level-Based Measures 9-17
 - 8. Create Additional Level-Based Measures 9-19
 - 9. Create Share Measures 9-20
 - 10. Add Measures to the Presentation Layer 9-21

11. Create Presentation Hierarchies	9-22
12. Test Measures and Hierarchies	9-23
Parent-Child Logical Dimensions	9-24
Parent-Child Hierarchy: Example	9-25
Parent-Child Logical Table	9-26
Parent-Child Relationship Table	9-27
Creating a Parent-Child Logical Dimension	9-28
1. Create a Logical Dimension Object	9-29
2. Set the Member Key	9-30
3. Set the Parent Column	9-31
4. Open the Parent-Child Relationship Table Settings Dialog Box	9-32
5. Enter Parent-Child Relationship Table Script Information	9-33
6. Enter Parent-Child Relationship Table Details	9-34
7. Preview Scripts	9-35
8. Confirm Parent-Child Relationship Table Settings	9-36
9. Confirm Changes to the BMM Layer	9-37
10. Confirm Changes to the Physical Layer	9-38
11. Modify the Physical Layer	9-39
12. Modify the BMM Layer	9-40
13. Create the Presentation Hierarchy	9-41
14. Verify Your Work	9-42
Calculated Members	9-43
Summary	9-44
Practice 9-1 Overview: Creating Logical Dimension Hierarchies	9-45
Practice 9-2 Overview: Creating Level-Based Measures	9-46
Practice 9-3 Overview: Creating Share Measures	9-47
Practice 9-4 Overview: Creating Dimension-Specific Aggregation Rules	9-48
Practice 9-5 Overview: Creating Presentation Hierarchies	9-49
Practice 9-6 Overview: Creating Parent-Child Hierarchies	9-50
Practice 9-7 Overview: Using Calculated Members	9-51

10 Using Aggregates

Objectives	10-2
Business Challenge	10-3
Business Solution: Aggregate Tables	10-4
Oracle BI Aggregate Navigation	10-5
Aggregated Facts	10-6
Modeling Aggregates	10-7
ABC Example	10-8
Steps to Implement Aggregate Navigation	10-9
1. Import Tables and Create Aliases	10-10

2. Create Joins	10-11
3. Create the Fact Logical Table Source and Mappings	10-12
4. Specify the Fact Aggregation Content	10-13
5. Specify Content for the Fact Detail Source	10-14
6. Create the Dimension Logical Table Source and Mappings	10-15
7. Specify the Dimension Aggregation Content	10-16
8. Specify Content for the Dimension Detail Source	10-17
9. Test Results for Levels Stored in Aggregates	10-18
10. Test Results for Data Above or Below Levels	10-19
Setting the Number of Elements	10-20
Aggregate Persistence Wizard	10-22
Aggregate Persistence Wizard Steps	10-23
1. Open the Aggregate Persistence Wizard	10-24
2. Specify a File Name and Location	10-25
3. Select the Business Model and Measures	10-26
4. Select Dimensions and Levels	10-27
5. Select the Connection Pool, Container, and Name	10-28
6. Review the Aggregate Definition	10-29
7. View the Complete Aggregate Script	10-30
8. Verify That the Script Is Created	10-31
9. Run the Aggregate Persistence Script	10-32
10. Verify Aggregates in the Physical Layer	10-33
11. Verify Aggregates in the BMM Layer	10-34
12. Verify Aggregates in the Database	10-35
13. Verify Your Work	10-36
Troubleshooting Aggregate Navigation	10-37
Considerations	10-38
Summary	10-39
Practice 10-1 Overview: Using Aggregate Tables	10-40
Practice 10-2 Overview: Setting the Number of Elements	10-41
Practice 10-3 Overview: Using the Aggregate Persistence Wizard	10-42

11 Using Partitions and Fragments

Objectives	11-2
Business Challenge	11-3
Business Solution: Oracle BI Server	11-4
Partition	11-5
Partitioning by Fact	11-6
Partitioning by Value	11-7
Partitioning by Level	11-8
Complex Partitioning	11-9

ABC Example: Value Based (Order Date) 11-10
Implementation Steps 11-11
Specify Fragmentation Content 11-12
Summary 11-13
Practice 11-1 Overview: Modeling a Value-Based Partition 11-14

12 Using Repository Variables

Objectives 12-2
Variables 12-3
Variable Manager 12-4
Variable Types 12-5
Repository Variables 12-6
Static Repository Variables 12-7
Dynamic Repository Variables 12-8
Session Variables 12-9
System Session Variables 12-10
Non-System Session Variables 12-11
Initialization Blocks 12-12
Initialization Block: Example 12-13
Initialization Block Example: Edit Data Source 12-14
Initialization Block Example: Edit Data Target 12-15
ABC Example 12-16
Implementation Steps 12-17
1. Create a Dedicated Connection Pool 12-18
2. Open the Variable Manager 12-19
3. Create an Initialization Block 12-20
4. Edit the Data Source 12-21
5. Edit the Data Target 12-22
6. Test the Initialization Block Query 12-23
7. Use the Variable to Determine Content 12-24
8. Verify Your Work 12-25
Summary 12-26
Practice 12-1 Overview: Creating Dynamic Repository Variables 12-27
Practice 12-2 Overview: Using Dynamic Repository Variables as Filters 12-28

13 Modeling Time Series Data

Objectives 13-2
Time Comparisons 13-3
Business Challenge: Time Comparisons 13-4
Oracle BI Solution: Model Time Comparisons 13-5
Time Dimensions 13-6

Time Series Functions 13-7
Time Series Grains 13-8
ABC Example 13-10
Steps to Model Time Series Data 13-11
1. Identify a Time Dimension and Chronological Keys 13-12
2. Create a Measure by Using the AGO Function 13-13
3. Use a Column with the AGO Function to Create Additional Measures 13-14
4. Create a Measure by Using the TODATE Function 13-15
5. Create a Measure by Using the PERIODROLLING Function 13-16
6. Add New Measures to the Presentation Layer 13-17
7. Test the Results 13-18
Summary 13-19
Practice 13-1 Overview: Creating Time Series Comparison Measures 13-20

14 Modeling Many-to-Many Relationships

Objective 14-2
Business Challenge and Solution 14-3
Bridge Table 14-4
ABC Example 14-5
Steps to Model a Bridge Table 14-6
1. Import Tables 14-7
2. Create the Physical Model 14-8
3. Create the Logical Model 14-9
4. Map the Bridge Table 14-10
5. Create a Calculation Measure 14-11
6. Map Objects to the Presentation Layer 14-12
7. Verify the Results 14-13
Summary 14-14
Practice 14-1 Overview: Modeling a Bridge Table 14-15

15 Setting an Implicit Fact Column

Objectives 15-2
Business Challenge: Dimension-Only Queries 15-3
Business Solution: Implicit Fact Column 15-4
ABC Example 15-5
Steps to Configure an Implicit Fact Column 15-6
1. Set an Implicit Fact Column 15-7
2. Verify the Results 15-8
3. Clear the Implicit Fact Column 15-9
Summary 15-10
Practice 15-1 Overview: Setting an Implicit Fact Column 15-11

16 Importing Metadata from Multidimensional Data Sources

Objective 16-2

Overview 16-3

Multidimensional Versus Relational Data Sources 16-4

Overview: Importing Multidimensional Data Sources 16-5

ABC Example 16-6

Creating a Multidimensional Business Model 16-7

1. Set Up an Essbase Data Source 16-8

2. Import Metadata 16-9

3. Verify the Import 16-10

4. Choose Options to Control the Model 16-11

5. View Members and Update Member Count 16-12

6. Create the Business Model 16-13

7. Create the Presentation Layer 16-14

8. Verify the Results 16-15

Horizontal Federation 16-16

Vertical Federation 16-17

Summary 16-18

Practice 16-1: Importing a Multidimensional Data Source into a Repository 16-19

Practice 16-2: Incorporating Horizontal Federation into a Business Model 16-20

Practice 16-3: Incorporating Vertical Federation into a Business Model 16-21

Practice 16-4: Adding Essbase Measures to a Relational Model 16-22

17 Security

Objectives 17-2

Business Challenge: Security Strategy 17-3

Business Solution: Oracle BI Security 17-4

Managing Oracle BI Security 17-5

Oracle BI Default Security Model 17-6

Default Security Realm 17-7

Default Authentication Providers 17-8

Default Users 17-9

Default Groups 17-10

Default Application Roles 17-11

Default Application Policies 17-13

Default Security Settings in the Repository 17-14

Default Application Role Hierarchy: Example 17-15

ABC Example 17-16

Create Groups 17-17

Create Group Hierarchies 17-18

Create Users	17-19
Assign Users to Groups	17-20
Create Application Roles	17-21
Map Application Roles	17-22
Application Role Hierarchies	17-23
Verify Security Settings in Oracle BI	17-24
Verify Security Settings in the Repository	17-26
Set Up Object Permissions	17-27
Permission Inheritance	17-28
Permission Inheritance: Example	17-29
Set Row-Level Security (Data Filters)	17-30
Set Query Limits	17-31
Set Timing Restrictions	17-32
Summary	17-33
Practice 17-1 Overview: Exploring Default Security Settings	17-34
Practice 17-2 Overview: Creating Users and Groups	17-35
Practice 17-3 Overview: Creating Application Roles	17-36
Practice 17-4 Overview: Setting Up Object Permissions	17-37
Practice 17-5 Overview: Setting Row-Level Security (Data Filters)	17-38
Practice 17-6 Overview: Setting Query Limits and Timing Restrictions	17-39

18 Cache Management

Objective	18-2
Business Challenge	18-3
Business Solution: Oracle BI Server Query Cache	18-4
Advantages of Caching	18-5
Costs of Caching	18-6
Query Cache: Architecture	18-7
Monitoring and Managing the Cache	18-8
Cache Management Techniques	18-9
Using Fusion Middleware Control to Configure Caching	18-10
Using NQSConfig.ini to Manually Edit Cache Parameters	18-11
Setting Caching and Cache Persistence for Tables	18-12
Using the Cache Manager	18-13
Inspecting SQL for Cache Entries	18-14
Modifying the Cache Manager Column Display	18-15
Inspecting Cache Reports	18-16
Purging Cache Entries Manually Using the Cache Manager	18-17
Purging Cache Entries Automatically	18-18
Using Event Polling Tables	18-19
Seeding the Cache	18-20

Cache Hit Conditions 18-21
Summary 18-22
Practice 18-1 Overview: Enabling Query Caching 18-23
Practice 18-2 Overview: Modifying Cache Parameters 18-24
Practice 18-3 Overview: Seeding the Cache 18-25

19 Managing Usage Tracking

Objectives 19-2
Business Challenges 19-3
Business Solution: Oracle BI Usage Tracking 19-4
Oracle BI Usage Tracking Methods 19-5
ABC Example 19-6
Steps to Enable Usage Tracking 19-7
1. Create the Usage Tracking Table 19-8
2. Import the Usage Tracking Table 19-9
3. Build a Usage Tracking Business Model 19-10
4. Enable Usage Tracking 19-11
5. Enable Direct Insertion 19-12
6. Set the Physical Table Parameter 19-13
7. Set the Connection Pool Parameter 19-14
8. Set Additional Parameters 19-15
9. Test the Results 19-16
Analyzing Usage Tracking Data 19-17
Summary 19-18
Practice 19-1 Overview: Setting Up Usage Tracking 19-19

20 Setting Up and Using the Multiuser Development Environment

Objectives 20-2
Business Challenge 20-3
Business Solution: Oracle BI Multiuser Development Environment (MUDE) 20-4
Oracle BI Repository Development Process 20-5
SCM Three-Way Merge Process 20-6
Oracle BI Repository Three-Way Merge Process 20-7
Multiuser Development Projects 20-8
Overview: Oracle BI Multiuser Development 20-9
ABC Example 20-10
Steps to Set Up an Oracle BI MUDE 20-11
1. Create Projects 20-12
2. Edit Projects 20-13
3. Set Up a Shared Network Directory 20-14
4. Copy the Master Repository to the Shared Directory 20-15

Making Changes in an Oracle BI MUDE	20-16
1. Point to the Multiuser Directory	20-17
2. Check Out Projects	20-18
3. Administration Tool Tasks During Checkout	20-19
4. Change Metadata	20-20
5. Multiuser Options During Development	20-21
6. Merge Local Changes	20-22
7. Make Merge Decisions	20-23
8. Publish to Network	20-24
9. Track Project History	20-25
History Menu Options	20-26
Deleting History Items	20-27
Summary	20-28
Practice 20-1 Overview: Setting Up a Multiuser Development Environment	20-29
Practice 20-2 Overview: Using a Multiuser Development Environment	20-30

21 Performing a Patch Merge

Objectives	21-2
Patch Merge	21-3
Creating a Patch	21-4
Applying a Patch	21-5
Steps to Perform a Patch Merge	21-6
1. Compare Current and Original Repositories	21-7
2. Equalize Objects	21-8
3. Create a Patch	21-9
4. Apply the Patch	21-10
5. Make Merge Decisions	21-11
6. Verify Your Work	21-12
Summary	21-13
Practice 21-1 Overview: Performing a Patch Merge	21-14

22 Using Administration Tool Utilities

Objectives	22-2
Wizards and Utilities	22-3
Accessing Wizards and Utilities	22-4
Managing Sessions	22-5
Querying Repository Metadata	22-6
Replacing Columns or Tables	22-7
Documenting a Repository	22-8
Generating a Metadata Dictionary	22-9
Creating an Event Table	22-10

Updating the Physical Layer 22-11
Removing Unused Physical Objects 22-12
Summary 22-13

23 Oracle BI 11g R1: Build Repositories: Quizzes

A Optimizing Query Performance

Objective A-2
Business Challenge A-3
Business Solution A-4
Oracle BI Features That Optimize Performance A-6
Optimizing Query Performance A-7
Using Aggregates A-8
Using Aggregate Navigation A-9
Constraining Results by Using a WHERE Clause A-10
Caching A-11
Limiting the Number of Initialization Blocks A-12
Limiting Select Table Types A-13
Modeling Logical Dimension Hierarchies Correctly A-14
Turning Off Logging A-15
Setting Query Limits A-16
Pushing Calculations to the Database A-17
Exposing Materialized Views in the Physical Layer A-18
Using Database Hints A-19
Summary A-20

B Model First Development Methodology

Model First Development Methodology: Overview B-2
Central Tenets of the Model First Development Methodology B-3
Baseline Performance Analysis B-4
Defining the Business Model: Dimensional Matrix B-6
Dimensional Matrix: Example B-7
Drill to Levels for More-Detailed Performance Requirements B-8
Focus on the Business Model B-9
Leverage Oracle BI “Legless” Applications B-10
Use Oracle BI Data Mart Automation B-11

C Exploring Extreme Analytics with the BI Machine

Objectives C-2
Oracle Exalytics In-Memory Machine C-3
Oracle Exalytics BI Machine: Overview C-5

Why Use the Oracle Exalytics BI Machine?	C-6
Market Drivers and Technology Enablers	C-7
Intelligent Decision Making	C-8
Analytical Collaboration	C-9
Enlightened User Experience	C-10
Examining Oracle Exalytics Topology	C-11
Oracle Analytics In-Memory Architecture	C-12
Oracle WebLogic Server	C-13
Oracle BI Foundation Suite: Overview	C-14
Fusion Middleware: Overview	C-15
In-Memory Analytics	C-16
TimesTen	C-17
“Essbase on Exalytics”	C-18
Techniques for Leveraging In-Memory Databases	C-19
Adaptive In-Memory Cache and Summary Advisor	C-20
Adaptive In-Memory Cache Flow	C-21
Summarized Graphic Representation of BI Machine Software	C-22
Benefits of Oracle Exalytics	C-23
Certified Software	C-25
Tools for Managing and Monitoring the BI Machine	C-26
EM Ops Center: Overview	C-27
Summary	C-28

D Localizing Oracle BI Metadata

Objective	D-2
Business Challenges and Solution	D-3
Oracle BI Multilingual Support	D-4
Configuring Oracle BI Metadata	D-5
WEBLANGUAGE Session Variable	D-6
LOCALE Configuration Setting	D-7
Changing Localization Preferences	D-8
ABC Example	D-9
Steps to Localize Metadata	D-10
1. Externalize Metadata Objects	D-11
2. Run the Externalize Strings Utility	D-12
3. Modify the Translation File	D-13
4. Load the Translation Table	D-14
5. Import the Translation Table	D-15
6. Create a Dedicated Connection Pool	D-16
7. Create an Initialization Block	D-17
8. Modify My Account Preferences	D-18

- 9. Verify the Translations D-19
- Summary D-20
- Practice App_D Overview: Localizing Repository Metadata (Optional) D-21

E Localizing Oracle BI Data

- Objective E-2
- Business Challenges and Solution E-3
- Oracle BI Multilingual Data Support E-4
- What Is Multilingual Data Support? E-5
- Required Translation Tables E-6
- Available Language Table E-7
- Lookup Tables E-8
- Designing Translation Lookup Tables E-9
- ABC Example E-10
- Steps for Localizing Data E-11
 1. Create a Physical Lookup Table E-12
 2. Create an Available Language Table E-13
 3. Import Tables into the Physical Layer E-14
 4. Create a Session Variable Initialization Block E-15
 5. Create a Logical Lookup Table E-16
 6. Set Keys for the Logical Lookup Table E-17
 7. Create a Logical Lookup Column E-18
 8. Add the Logical Lookup Column to the Presentation Layer E-19
 9. Test Your Work E-20
- Summary E-21
- Practice App_E Overview: Localizing Oracle BI Data (Optional) E-22

F Configuring Write Back in Analyses

- Objectives F-2
- Write Back in Analyses F-3
- Steps to Configure Write Back F-4
 1. Create a Physical Table with Write Back Columns F-5
 2. Import the Write Back Table F-6
 3. Enable Write Back for the Connection Pool F-7
 4. Enable Write Back for Logical Columns F-9
 5. Set Write Back Permissions in the Presentation Layer F-10
 6. Enable Write Back in instanceconfig.xml F-11
 7. Create a Write Back XML Template F-12
 8. Store the Write Back Template F-14
 9. Grant Write Back Privileges F-15
 10. Create an Analysis with Columns Enabled for Write Back F-16

- 11. Override Default Data Format F-17
- 12. Enable Write Back in the Table View F-18
- 13. Verify Results F-19
- Summary F-20
- Practice App_F Overview: Configuring Write Back (Optional) F-21

G Configuring Logical Columns for Multicurrency Support

Objectives G-2

Overview G-3

Steps to Configure Multicurrency Support G-4

1. Modify the User Preferences Currency File G-5
2. Create a PREFERRED_CURRENCY Session Variable G-6
3. Create Logical Columns with Currency Conversions G-7
4. Edit a Logical Column to Use a Conversion Factor G-8
4. Add Logical Column to the Presentation Layer G-9
5. Verify the My Account Page G-10
5. Verify Analysis Results G-11

Summary G-12

Practice App_G Overview: Defining User-Preferred Currency Options G-13