

Oracle Tuxedo 12c: Application Administration

Student Guide - Volume I

D77170GC10

Edition 1.0

September 2012

D78964

ORACLE®

Author

Mark Lindros

Technical Contributors and Reviewers

Deepak Goel

Todd Little

David Mills

Kevin Tate

Pierce Shi

Jared Li

Yu Wang

Lipeng Wang

Lidan Liu

Zhi Yong Han

TJ Palazzolo

Weiming Zhang

Sheng Zhu

Jim Jin

Dong Han

Right Lv

Sharp Cong

Celia Yu

Maggie Li

Xugang Shen

Huasheng Fu

Jerome Cheng

Howard Su

Editor

Aju Kumar

Graphic Designer

Seema Bopaiah

Publishers

Jayanthy Keshavamurthy

Veena Narasimhan

Copyright © 2012, Oracle and/or its affiliates. All rights reserved.

Disclaimer

This document contains proprietary information and is protected by copyright and other intellectual property laws. You may copy and print this document solely for your own use in an Oracle training course. The document may not be modified or altered in any way. Except where your use constitutes "fair use" under copyright law, you may not use, share, download, upload, copy, print, display, perform, reproduce, publish, license, post, transmit, or distribute this document in whole or in part without the express authorization of Oracle.

The information contained in this document is subject to change without notice. If you find any problems in the document, please report them in writing to: Oracle University, 500 Oracle Parkway, Redwood Shores, California 94065 USA. This document is not warranted to be error-free.

Restricted Rights Notice

If this documentation is delivered to the United States Government or anyone using the documentation on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS

The U.S. Government's rights to use, modify, reproduce, release, perform, display, or disclose these training materials are restricted by the terms of the applicable Oracle license agreement and/or the applicable U.S. Government contract.

Trademark Notice

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Contents

1 Course Introduction

- Objectives 1-2
- Product Version 1-3
- Software Used in This Course 1-4
- Course Schedule 1-5
- How Can I Learn More? 1-7

2 Introduction to Oracle Tuxedo

- Objectives 2-2
- Lesson Agenda 2-3
- Tuxedo Product Family 2-4
- Typical Tuxedo Application Characteristics 2-8
- Industry Acceptance 2-9
- Use Case Examples 2-10
- Use Case Diagram 2-11
- Section Summary 2-12
- Lesson Agenda 2-13
- A Brief History of the Tuxedo System 2-14
- Significant Releases 2-15
- Section Summary 2-20
- Practice 2-1: Familiarizing Yourself with the Course Environment 2-21
- Summary 2-22

3 Tuxedo Installation and Deployment

- Objectives 3-2
- Lesson Agenda 3-3
- Practice 3-1: Installing Oracle Tuxedo 3-4
- Tuxedo Software Components Server 3-5
- Tuxedo Software Components Client 3-6
- Platform-Specific Requirements 3-7
- Tuxedo 12c Installation 3-8
- Installation 3-9
- Postinstallation Steps 3-12
- Installed Directory Structure: Tuxedo 12c 3-13
- Section Summary 3-14

Practice 3-2: Setting Up the Environment	3-15
Lesson Agenda	3-16
Deploying a Sample Application	3-17
Configuration Checklist	3-18
1. Setting Environment Variables	3-19
2. Determining the Machine Name	3-21
Tuxedo Configuration File	3-22
3. Editing the Text Configuration File	3-23
4. Compiling the Configuration File	3-25
5. Staging Servers to APPDIR	3-26
Booting the Tuxedo Application	3-27
Monitoring the Application	3-28
Running the Sample Client Application	3-29
Shutting Down the Tuxedo Application	3-30
Quiz	3-31
Section Summary	3-35
Practice 3-3: Deploying a Sample Tuxedo Application	3-36
Summary	3-37

4 Tuxedo Architecture Overview

Objectives	4-2
Application Server Architecture (n-Tier)	4-3
Application Server and High Volume TP	4-5
Tuxedo and the Application Server Model	4-6
What Is Oracle Tuxedo?	4-7
Oracle Tuxedo's Core Architecture	4-9
Benefits of Tuxedo Architecture	4-10
Components of a Tuxedo Application	4-11
Bulletin Board and Bulletin Board Liaison	4-13
Tuxedo Clients	4-14
Tuxedo API (ATMI)	4-15
Messaging and Communications	4-17
Tuxedo Buffer Types	4-18
Quiz	4-19
Message Paradigms	4-21
Request/Response	4-22
Conversational	4-23
Unsolicited Notification	4-24
Publish and Subscribe	4-25
Store and Forward	4-27
Quiz	4-29

Work Distribution 4-30
Basic Security 4-32
Other Security Solutions 4-33
Data Encryption 4-34
Distributed Transaction Management 4-35
Configuration and Administration 4-36
Single Domain–Multiple Machine (MP) Architecture 4-37
Multiple-Domain Architecture 4-38
Service Architecture Leveraging Tuxedo: SALT 4-39
Administration Utilities 4-40
Tuxedo System and Application Monitor: TSAM 4-41
Quiz 4-42
Practice 4-1: Browsing the Documentation 4-43
Summary 4-44

5 Basic Tuxedo Application Configuration

Objectives 5-2
Lesson Agenda 5-3
Review: Tuxedo Configuration File 5-4
Configuration File Content 5-5
Scope of Section Elements 5-6
Tuxedo Configuration File Layout 5-7
Minimal Configuration: Example 5-8
Configuring the *RESOURCES Section 5-9
*RESOURCES Parameters 5-10
IPCKEY Parameter 5-11
MASTER Parameter 5-12
MODEL Parameter 5-13
Parameters Impacting IPC Resources 5-14
Sanity Checks 5-15
Configuring the *MACHINES Section 5-16
*MACHINES Section Parameters 5-17
Other *MACHINES Parameters 5-18
Example *MACHINES Section 5-19
Configuring the *GROUPS Section 5-20
Example *GROUPS Section 5-21
Configuring the *SERVERS Section 5-22
Configuring the *SERVICES Section 5-23
Complete Configuration: Example 5-24
Quiz 5-25
Section Summary 5-28

Lesson Agenda 5-29
Administrator Tasks 5-30
Setup Tasks 5-31
Run-Time Administration 5-32
Deployment Process 5-33
Review: Environment Variables 5-34
Building Client Applications 5-35
Building Tuxedo Servers 5-36
tmloadcf and tmunloadcf Utilities 5-37
Viewing the User Log File 5-38
Quiz 5-39
Section Summary 5-40
Practice 5-1: Configuring, Building, and Deploying a Tuxedo Application 5-41
Lesson Agenda 5-42
Tuxedo Java Servers 5-43
Tuxedo Java Server Architecture 5-44
Stage Compiled Java Application Files 5-45
Configure TMJAVASVR in UBBCONFIG 5-46
Sample Java Server Code 5-47
Configure Tuxedo Java Server XML File 5-48
Boot and Monitor Tuxedo Java Servers 5-49
Quiz 5-50
Section Summary 5-52
Practice 5-2: Configuring and Deploying a Tuxedo Java Server 5-53
Summary 5-54

6 Additional Tuxedo Application Configuration Options

Objectives 6-2
Lesson Agenda 6-3
User Log File Name and Location 6-4
Log File Creation 6-5
Additional ULOG Options 6-6
Format of Messages in ULOG 6-7
Analyzing the ULOG 6-8
Quiz 6-9
Setting Environment Variables 6-10
Editing the ENVFILE 6-11
Accessing the ENVFILE 6-12
Section Summary 6-13
Lesson Agenda 6-14
*SERVERS Section Parameters 6-15

Configuring Multiple Server Instances 6-16
Process Failures 6-17
Configuring Servers to Restart Automatically 6-18
Quiz 6-19
Determining Server Boot Order 6-20
Quiz 6-21
Command-Line Options Parameter: CLOPT 6-22
Some Commonly Used Server CLOPTs 6-23
Service Aliasing 6-24
Multithreaded Servers 6-25
Thread Pool Configuration 6-26
Section Summary 6-27
Lesson Agenda 6-28
*SERVICES Section Parameters 6-29
*SERVICES LOAD Parameter 6-30
Load Balancing: Example 6-31
Load Balancing Configuration 6-32
*SERVICES PRIO Parameter 6-33
*SERVICES BUFTYPE Parameter 6-34
*SERVICES BLOCKTIME Parameter 6-36
*SERVICES SVCTIMEOUT Parameter 6-37
Setting *SERVICES Parameters by SRVGRP 6-38
*SERVICES Example Configuration 6-39
Quiz 6-40
Section Summary 6-41
Practice 6-1: Configuring and Testing Additional Tuxedo Application Options 6-42
Summary 6-43

7 Operations, Administration, and Monitoring Tools

Objectives 7-2
Lesson Agenda 7-3
Selecting Appropriate Monitoring Tools 7-4
What Is There to Monitor and Modify? 7-5
Where Is the Data? 7-6
Administration Task Permissions 7-7
Quiz 7-8
Section Summary 7-9
Lesson Agenda 7-10
tadmin Command-Line Utility 7-11
General tadmin Capabilities 7-12
Commands Available for Each Mode 7-13

tmadmin Meta Commands	7-14
Setting Default Scopes	7-15
tmadmin Monitoring Commands: Examples	7-16
Example Use of printserver (psr)	7-17
Example Use of printservice (psc)	7-18
Example Use of printclient (pclt)	7-19
Example Use of printqueue (pq)	7-20
Example Use of bbparms and bbstats	7-21
Cleaning Up the Bulletin Board and Restarting Servers	7-22
Administration of Services	7-23
Scripting with tmadmin	7-24
Quiz	7-25
Section Summary	7-29
Lesson Agenda	7-30
Starting and Stopping Tuxedo Servers	7-31
Starting a Tuxedo Application	7-32
Common Application Startup Issues	7-33
Shutting Down a Tuxedo Application	7-34
Common Application Shutdown Issues	7-35
IPC Resources	7-36
Section Summary	7-37
Lesson Agenda	7-38
Application Packaging and Deployment	7-39
Packaging and Deployment Architecture	7-40
Application Packages Repository	7-42
Deployment Repository	7-43
Application Package	7-44
Example Application Package	7-45
Properties.xml Categories	7-46
Example Properties.xml File	7-47
Example deployment_plan File	7-48
Application Packaging and Deployment Commands	7-50
Quiz	7-51
Section Summary	7-53
Lesson Agenda	7-54
System Event Broker	7-55
Tuxedo System Events	7-56
Configuring System Event Broker Servers	7-57
Section Summary	7-58
Practice 7-1: Executing Application Monitoring and Maintenance Commands	7-59
Summary	7-60

8 Configurations for Supporting Remote Clients

- Objectives 8-2
- Lesson Agenda 8-3
- Review: Tuxedo Native Clients 8-4
- Workstation Subsystem (/WS) 8-5
- /WS Components 8-6
- Remote Client Connection Process 8-7
- WSC Configuration: Overview 8-8
- Configuring the Workstation Listener (WSL) Server 8-9
- Configuring the *MACHINES Section 8-11
- Configuring WSC Support: Example 8-12
- WSC Configuration on Client Machines 8-13
- WSC Environment Variables 8-14
- Configuring for WSL/WSH Failover 8-16
- Setting WSC Environment Variables 8-17
- Quiz 8-18
- Section Summary 8-20
- Practice 8-1: Configuring and Deploying Workstation Client Support 8-21
- Lesson Agenda 8-22
- What Is SALT? 8-23
- SALT Availability 8-24
- SALT Architecture 8-26
- SALT Use Cases 8-27
- SALT Use Cases: Generic Inbound 8-28
- SALT Use Cases: Generic Outbound 8-29
- SALT Use Cases: Inter-GWWS 8-30
- SALT Use Cases: Migrating from Tuxedo 8-31
- SALT Use Cases: Migrating to Tuxedo 8-32
- Configuring SALT Support in UBBCONFIG 8-33
- UBBCONFIG File: Example 8-34
- Administering the Repository 8-36
- Examples of Service Metadata Input File 8-37
- Creating SALTCONFIG 8-38
- Example of a Simple Deployment File 8-39
- Example of a Simple WSDL File 8-40
- Generating a WSDL file 8-41
- Summary of Deployment 8-42
- wsadmin Utility 8-43
- SAML for SSO 8-44
- Quiz 8-45

Section Summary 8-47
Practice 8-2: Configuring and Deploying Web Services Inbound Access 8-48
Lesson Agenda 8-49
Jolt 8-50
Jolt Components 8-51
Jolt Client Connection Process 8-53
Basic Jolt Configuration: Overview 8-54
Jolt Repository 8-55
Jolt Internet Relay 8-56
Section Summary 8-57
Summary 8-58

9 Tuxedo Security Configuration and Administration

Objectives 9-2
Lesson Agenda 9-3
Tuxedo Security Capabilities 9-4
Basic Tuxedo Security Model 9-5
Configuring Default Authentication and Authorization 9-6
Native Operating System Security 9-7
Application-Wide Password 9-8
Username/Password Authentication 9-9
Access Control List Authorization 9-10
Section Summary 9-11
Lesson Agenda 9-12
Security Administration Tasks 9-13
Access Control Lists (ACLs) 9-15
User, Group, and ACL Files 9-16
Adding ACL Entries with tpacladd 9-17
Adding, Deleting, and Modifying Entries 9-18
Adding Groups with tpgrpadd 9-19
Adding, Deleting, and Modifying Groups 9-20
Adding Users with tpusradd 9-21
Adding, Deleting, and Modifying Users 9-22
Adding Groups, Users, and ACLs: Example 9-23
Changing the Application Password 9-24
Quiz 9-25
Section Summary 9-27
Practice 9-1: Configuring and Testing Tuxedo Default Security 9-28
Lesson Agenda 9-29
What Is a Directory? 9-30
Lightweight Directory Access Protocol 9-32

Directory Information Tree	9-33
Tuxedo Authentication Through LDAP	9-35
Migrating Tuxedo Users to LDAP	9-36
Tuxedo User and Group Information in LDAP	9-38
Configuring the LDAP Authentication Server	9-39
Minimal tpgauth Configuration File: Example	9-40
Additional Files in APPDIR	9-42
Quiz	9-43
Section Summary	9-44
Practice 9-2: Configuring Tuxedo to Use an LDAP Server	9-45
Lesson Agenda	9-46
Tuxedo Encryption: Overview	9-47
Encryption Support	9-48
LLE Versus SSL	9-50
Configuring Encryption Between Machines	9-51
Configuring Encryption for WSL Clients	9-53
Configuring SSL Encryption for WSL clients	9-54
Quiz	9-55
Section Summary	9-56
Lesson Agenda	9-57
Security Plug-in Framework	9-58
Auditing the Plug-in Architecture	9-59
Default Auditing	9-60
Configuring Extended Authentication and Authorization	9-61
Default Tuxedo Authentication and Authorization Sequence	9-62
Extended Authentication and Authorization Sequence	9-64
Multiple Tuxedo Domains Fitting in with Enterprise Architecture	9-66
Configuring the UBBCONFIG File	9-67
Configuring the XAUTHSVR File	9-68
tpldap.xauth File: Example	9-69
Configuring the LDAP Repository	9-70
Orcljaznpermission Object Class	9-71
Configuring the Authorization Cache	9-72
Section Summary	9-73
Summary	9-74

10 Distributed Application Configuration and Administration

Objectives	10-2
Lesson Agenda	10-3
Distributed Application Benefits	10-4
Distributed Tuxedo Application	10-5

Multiple Machine Boot Sequence 10-6
Starting a Listener at All Sites 10-8
Windows Administration Client 10-10
*RESOURCES Parameters 10-11
*MACHINES Parameters 10-12
*NETWORK Parameters 10-13
MP Mode Configuration: Example 10-14
Failure Scenarios 10-15
Backing Up the MASTER Machine 10-16
Transferring the MASTER Role to BACKUP 10-17
tadmin: master Subcommand 10-18
Restoring MASTER from BACKUP 10-19
Automatic MASTER Migration 10-20
Automatic MASTER Migration Architecture 10-21
Automatic MASTER Migration Configuration 10-22
Automatic MASTER Migration Process 10-23
Quiz 10-24
Section Summary 10-26
Practice 10-1: Configuring and Deploying a Tuxedo Application on Multiple
Machines 10-27
Lesson Agenda 10-28
Multiple BRIDGE Connections 10-29
*NETGROUPS Section 10-30
Network Section Configuration: Example 10-31
Network Group Configuration: Example 10-32
Network Group Priority: Example 10-33
Network Partitions 10-34
Detecting Partitioned Networks 10-35
Troubleshooting: Example 10-36
Restoring Network Connections 10-37
Partitioned Machine: Clean Up 10-38
Load-Balancing Network Requests 10-39
NETLOAD: Example 10-40
Quiz 10-41
Section Summary 10-42
Summary 10-43

11 Advanced Server Group Configuration

Objectives 11-2
Lesson Agenda 11-3
What Is Data-Dependent Routing? 11-4

Data-Dependent Routing: Example	11-5
DDR Configuration: The Big Picture	11-6
Configuring the *ROUTING Section	11-7
Using the FIELDTYPE Parameter	11-8
Specifying DDR Ranges	11-9
DDR Multiple Group Support	11-10
Buffer Usage in Tuxedo: Review	11-11
FML/FML32 and VIEW/VIEW32 Buffers	11-12
FML and VIEW Files	11-14
Nested VIEW Buffers	11-15
Setting Environment Variables	11-16
Quiz	11-17
Section Summary	11-19
Lesson Agenda	11-20
Server Groups	11-21
Server Migration	11-22
Before Machine Failure	11-23
After Machine Failure	11-24
Server Migration Scope	11-25
Migration Configuration	11-26
Group Migration Administration	11-27
Scheduled Server Group Migration: Example	11-28
Recovery Server Group Migration: Example	11-29
Machine Migration Administration	11-30
Scheduled Machine Migration: Example	11-31
Recovery Machine Migration: Example	11-32
Canceling a Migration	11-33
Canceling a Migration: Example	11-34
Automatic Server Group Migration Architecture	11-35
Automatic Server Group Migration Configuration	11-36
Automatic Server Group Migration Process	11-37
Quiz	11-38
Section Summary	11-39
Practice 11-1: Configuring Data-Dependent Routing and Server Group Migration	11-40
Lesson Agenda	11-41
Multiple Service Versions	11-42
How Service Versioning Works	11-43
Configuring Multiple Service Versions: UBBCONFIG	11-44
Server Initialization	11-46
Native Client Scenario	11-47

Workstation Client Architecture 11-48
Tuxedo Routing Features 11-49
Additional Service Versioning Information 11-50
Quiz 11-51
Section Summary 11-52
Practice 11-2: Configuring and Deploying Multiple Versions of a Service 11-53
Summary 11-54

12 Distributed Transaction Configuration and Administration

Objectives 12-2
Lesson Agenda 12-3
Transaction Definitions 12-4
When Transactions Are Needed 12-5
ACID Properties 12-6
XA Standard 12-7
XA Resource Managers 12-8
Two-Phase Commit 12-9
Two-Phase Commit: Complete 12-10
Two-Phase Commit: Logged 12-11
Transactions in Tuxedo 12-12
XA Distributed Transaction Processing 12-13
Quiz 12-14
Section Summary 12-16
Lesson Agenda 12-17
Configuring Transaction Support 12-18
Configuring *RESOURCES 12-19
Configuring *MACHINES 12-21
Configuring TLOG 12-22
Storing the TLOG in the Database 12-23
Defining the TMS 12-25
Building an RM-Specific TMS Server 12-26
Building a Tuxedo Server Executable 12-28
Configuring *GROUPS 12-29
Multiple RM Support per Group 12-30
Configuring Multiple RMs 12-31
Configuring *SERVICES 12-33
Transaction Scenarios 12-34
Heuristic Conditions 12-35
Aborting and Committing Transactions 12-36
Monitoring Transactions 12-37
Transaction Log Commands 12-38

Migrating the Transaction Log 12-39
Quiz 12-40
Section Summary 12-42
Practice 12-1: Configuring and Deploying a Tuxedo XA Application 12-43
Lesson Agenda 12-44
What Is a Cluster? 12-45
What Is Oracle Real Application Clusters? 12-46
Why Use RAC? 12-47
Oracle RAC Restrictions 12-48
How Does Tuxedo Support Oracle RAC? 12-49
Tuxedo Configuration for Oracle RAC 12-50
Example Configuration 12-51
Section Summary 12-52
Summary 12-53

13 Tuxedo Queuing

Objectives 13-2
Lesson Agenda 13-3
/Q Subsystem: Review 13-4
/Q Features: Overview 13-5
Tuxedo /Q Subsystem Components: Admin 13-6
Tuxedo /Q Subsystem Components: Servers 13-7
Basic Peer-to-Peer /Q: Example 13-8
Store and Forward with TMQFORWARD 13-9
Quiz 13-10
Section Summary 13-12
Lesson Agenda 13-13
/Q Subsystem Configuration 13-14
*GROUPS Configuration 13-15
TMQUEUE Server 13-16
TMQFORWARD Server 13-17
TMQFORWARD Server Parameters 13-18
Putting It All Together 13-20
/Q Administration 13-21
Common qmadmin Commands 13-22
Creating the Queue Space Device and Queue Space 13-23
Creating Queues on the Queue Space 13-25
Run-Time Monitoring and Management 13-26
Quiz 13-27
Section Summary 13-29

Practice 13-1: Configuring, Deploying, and Managing a Tuxedo /Q Application	13-30
Lesson Agenda	13-31
What is TMQ?	13-32
TMQ Features	13-33
TMQ Architecture: Peer to Peer	13-36
TMQ Architecture: Store and Forward with TMQFORWARDPLUS	13-37
TMQ Servers	13-38
Example TMQ Configuration	13-40
tmqadmin Configuration Tool	13-41
Quiz	13-42
Section Summary	13-43
Practice 13-2: Installing, Configuring, and Running a Tuxedo Message Queue Application	13-44
Lesson Agenda	13-45
Overview	13-46
Architecture: Tuxedo to MQ	13-47
Architecture: MQ to Tuxedo	13-49
Configuring MQ Servers	13-50
Example TM_MQO.cfg File	13-51
Example TMQUEUE_MQM.cfg File	13-52
Example TM_MQI.cfg File	13-53
Quiz	13-54
Section Summary	13-55
Summary	13-56

14 Domain Gateway Configuration and Administration

Objectives	14-2
Lesson Agenda	14-3
Multiple Domains	14-4
Domain Gateways	14-5
Types of Domain Gateways	14-6
Configuring Multiple Domains	14-8
Configuring Gateways in UBBCONFIG	14-9
Example UBBCONFIG File	14-10
DMCONFIG Text File	14-11
Example DMCONFIG Files	14-12
*DM_RESOURCES Section	14-13
*DM_LOCAL Section	14-14
*DM_REMOTE Section	14-15
*DM_TDOMAIN Section	14-16

*DM_EXPORT Section 14-17
*DM_IMPORT Section 14-18
CONNECTION_POLICY Parameter 14-19
Dynamic Status: Connections and Service Availability 14-20
ON_STARTUP Options 14-21
dadmin Utility 14-22
Quiz 14-23
Section Summary 14-25
Practice 14-1: Configuring, Deploying, and Testing a Tuxedo Domain
 Gateway 14-26
Lesson Agenda 14-27
Improving Domain Gateway Performance 14-28
Multiple Gateways: Example 14-29
Setting MTYPE for Encoding Preference 14-31
Setting CMPLIMIT for Data Compression 14-32
Setting BLOCKTIME for Local Gateways 14-33
Configuring Multiple Service Versions: DMCONFIG 14-34
Service Versioning for Domain Gateways 14-35
Quiz 14-36
Domain Level Failover and Failback 14-38
Link Level Failover 14-40
Domain Routing Usage: Example 14-41
Transactions Across Domain Gateways 14-42
Domain Transaction Configuration 14-43
Security Across Domain Gateways 14-45
Domain Gateway Security: DM_PW 14-46
Setting DM_PW: Example 14-47
*DM_ACCESS_CONTROL Section 14-48
Domains and Extended Security 14-49
LLE Between Gateways 14-50
Cross-Domain Events 14-51
Cross-Domain Events Architecture 14-52
Cross-Domain Events: *DM_EVT_OUT 14-54
Cross-Domain Events: *DM_EVT_IN 14-55
Cross-Domain Events Configuration 14-56
Cross-Domain Events: dadmin Commands 14-57
WebLogic-Tuxedo Connector (WTC) 14-58
JCA Dynamic Remote Access Point Registration 14-59
Section Summary 14-60
Summary 14-61

15 Accessing the Tuxedo Management Information Base

- Objectives 15-2
- Lesson Agenda 15-3
- What Is SNMP? 15-4
- Tuxedo and Enterprise Management 15-5
- SNMP Management Consoles 15-6
- Tuxedo SNMP Agent 15-7
- What Is a MIB? 15-8
- Tuxedo MIBs 15-9
- Quiz 15-10
- Section Summary 15-11
- Lesson Agenda 15-12
- Using the Admin API 15-13
- A Complete MIB Request 15-14
- ud32 Utility 15-15
- ud32 as an Administration Client 15-16
- Adding a Machine: Example 15-17
- Adding a Group: Example 15-18
- Adding a Server Process: Example 15-19
- Quiz 15-20
- Section Summary 15-22
- Practice 15-1: Accessing the Tuxedo Management Information Base 15-23
- Summary 15-24

16 Monitoring, Tuning, and Troubleshooting Performance

- Objectives 16-2
- Lesson Agenda 16-3
- Reconfiguring Kernel Parameters 16-4
- Determining IPC Requirements: UBBCONFIG 16-6
- Determining IPC Requirements: BDMCONFIG 16-7
- Determining IPC Requirements: Queue Space 16-8
- Windows IPC Resources Page 16-9
- Tuning Message and Queue Lengths 16-10
- System-Specific Diagnostic Tools 16-12
- Windows Task Manager 16-13
- UNIX Monitoring Tools 16-14
- Example vmstat Output 16-15
- Methodology 16-16
- Methodology Tips 16-17
- Tracing ATMI Calls 16-19
- Using the tmtrace Facility 16-20

Electronic Context Identifier (ECID)	16-21
Configuring ECID Correlation	16-22
ECID: Example	16-23
Quiz	16-24
Section Summary	16-25
Lesson Agenda	16-26
Protecting Shared Memory	16-27
SPINCOUNT	16-29
Service Lookup Caching	16-30
Message Compression Thresholds	16-31
OPTIONS Parameter Values	16-32
Single-Threaded Option	16-33
Services in Server: Bundling	16-34
Repackaging Servers	16-36
Repackaging Advertised Services	16-37
Measuring Service Execution Times	16-38
Performance Logging: Example	16-39
Performance Logging Report	16-40
Multiple-Server-Single-Queue (MSSQ)	16-41
When to Use MSSQ	16-42
Configuring an MSSQ Set	16-43
Automatic Start of Additional Servers	16-44
Quiz	16-45
Section Summary	16-48
Practice 16-1: Configuring Additional Performance Enhancement Options	16-49
Summary	16-50

17 Tuxedo System and Application Monitor

Objectives	17-2
Lesson Agenda	17-3
Tuxedo System and Application Monitor (TSAM)	17-4
What Can TSAM Do for You?	17-5
TSAM Concepts	17-6
TSAM Console: Call Path Tree	17-7
TSAM Console: Call Pattern	17-9
TSAM Console: Service Monitoring	17-10
TSAM Console: System Server	17-11
TSAM Console: Transaction	17-12
TSAM Console: Transaction Path	17-13
TSAM Console: Viewing Transaction Details	17-14
TSAM Console: Alert Definition	17-15

TSAM Console: Viewing Alerts 17-17
Section Summary 17-19
Lesson Agenda 17-20
TSAM Architecture 17-21
TSAM Installation 17-23
TSAM Agent 17-24
Configuring the LMS Server 17-25
Configuring the Monitoring Policy 17-26
TSAM Manager 17-27
Quiz 17-28
Section Summary 17-30
Summary 17-31

18 Exalogic Optimizations

Objectives 18-2
Lesson Agenda 18-3
Data Center Challenges 18-4
What Is Oracle Exalogic? 18-5
Why Exalogic? 18-7
What Is InfiniBand? 18-8
An Engineered Solution 18-9
Exalogic Machine Topology 18-10
Exalogic Networks: Overview 18-11
InfiniBand Networking Concepts: Overview 18-12
Bonded Interfaces 18-13
Default Compute Node Network 18-14
Tuxedo on Exalogic 18-15
Extreme Transaction Processing 18-16
Section Summary 18-17
Lesson Agenda 18-18
Oracle Virtual Assembly Builder (OVAB) 18-19
OVAB Plug-in for Tuxedo 18-20
Self-Tuning SPINCOUNT 18-21
Configuring Self-Tuning SPINCOUNT 18-22
Shared Memory Queues 18-23
Configuring Shared Memory Queues 18-24
Exabus: Leveraging RDMA and InfiniBand 18-25
Using QDR InfiniBand and SDP with Tuxedo 18-26
Configure Tuxedo to Use InfiniBand and SDP: MP Domain 18-27
Configure Tuxedo to Use InfiniBand and SDP: GWTDOMAIN 18-28
Configure Tuxedo to Use InfiniBand and SDP: WTC 18-29

Configure Tuxedo to Use InfiniBand and SDP: WSL and JSL 18-30
BRIDGE Bypass Using RDMA 18-31
RDMA Architecture 18-32
Configuring the BRIDGE Bypass Using RDMA 18-33
More RDMA Configuration 18-35
Starting Tuxedo when Using RDMA 18-37
Stopping Tuxedo when Using RDMA 18-38
Assistant Scripts 18-39
Computing Shared Memory Size for RDMA 18-40
Shared APPDIR 18-41
Configuring a Shared APPDIR 18-42
Quiz 18-43
Section Summary 18-47
Demo 18-1: Tuxedo Application on Exalogic Using Exalogic Features 18-48
Summary 18-49

A Jolt

Objectives A-2
Lesson Agenda A-3
Jolt A-4
Jolt Components A-5
Jolt Client Connection Process A-7
Basic Jolt Configuration: Overview A-8
Jolt Repository A-9
Creating the Jolt Repository: Jolt Repository Editor A-10
Creating the Jolt Repository: Bulk Loader A-11
Jolt Internet Relay A-12
Some Configuration Options for the JSL Server A-13
Configuring the Jolt Repository Server A-14
Configuring the *MACHINES Section A-15
Configuring Jolt Support: Example A-16
Jolt Configuration on Client Machines A-17
Configuring for JSL/JSH Failover A-18
Summary A-19

B Accessing the Tuxedo Management Information Base

Objectives B-2
Lesson Agenda B-3
What Is SNMP? B-4
Tuxedo and Enterprise Management B-5
SNMP Management Consoles B-6

Tuxedo SNMP Agent	B-7
What Is an MIB?	B-8
Tuxedo MIBs	B-9
TM_MIB Classes	B-10
TM_MIB Documentation	B-11
T_MACHINE Class Definition	B-12
T_GROUP Class Definition	B-13
T_SERVER Class Definition	B-14
T_SERVICE Class Definition	B-15
T_MSG Class Definition	B-16
Quiz	B-17
Section Summary	B-19
Lesson Agenda	B-20
Using the Admin API	B-21
Using the Admin API Utility Clients	B-22
Setting Up tmconfig	B-23
Running tmconfig	B-24
tmconfig Operations	B-25
Displaying Machine Parameters	B-26
Messages and Status	B-27
Error Message: Examples	B-28
Adding a New Machine	B-29
Adding a New Group	B-30
Adding a New Server	B-31
A Complete MIB Request	B-32
ud32 Utility	B-33
ud32 as an Administration Client	B-34
Adding a Machine: Example	B-35
Adding a Group: Example	B-36
Adding a Server Process: Example	B-37
Quiz	B-38
Section Summary	B-41
Practice B-1: Accessing the Tuxedo MIBs by Using the tmconfig and ud32 Utilities	B-42
Summary	B-43