

Oracle WebLogic Server 11g: Administration Essentials

Volume I • Student Guide

D58682GC20

Edition 2.0

July 2010

D68356

ORACLE®

Authors

Shankar Raman
Steve Friedberg

Technical Contributors and Reviewers

Anand Rudrabatla
Angelika Krupp
Bala Kothandaraman
David Cabelus
Holger Dindler Rasmussen
Matthew Slingsby
Mike Blevins
Mike Lehmann
Nagavalli Pataballa
Serge Moiseev
Shailesh Dwivedi
Steve Button
Takyiu Liu
TJ Palazzolo
Werner Bauer
William Albert
Will Hopkins

Graphic Designer

Satish Bettgowda

Editors

Amitha Narayan
Malavika Jinka

Publishers

Shaik Mahaboob Basha
Veena Narasimhan

Copyright © 2010, Oracle and/or its affiliates. All rights reserved.

Disclaimer

This document contains proprietary information and is protected by copyright and other intellectual property laws. You may copy and print this document solely for your own use in an Oracle training course. The document may not be modified or altered in any way. Except where your use constitutes "fair use" under copyright law, you may not use, share, download, upload, copy, print, display, perform, reproduce, publish, license, post, transmit, or distribute this document in whole or in part without the express authorization of Oracle.

The information contained in this document is subject to change without notice. If you find any problems in the document, please report them in writing to: Oracle University, 500 Oracle Parkway, Redwood Shores, California 94065 USA. This document is not warranted to be error-free.

Restricted Rights Notice

If this documentation is delivered to the United States Government or anyone using the documentation on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS

The U.S. Government's rights to use, modify, reproduce, release, perform, display, or disclose these training materials are restricted by the terms of the applicable Oracle license agreement and/or the applicable U.S. Government contract.

Trademark Notice

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Contents

Preface

1 Introduction

- Objectives 1-2
- Course Prerequisites 1-3
- Course Objectives 1-4
- Course Schedule 1-6
- Facilities in Your Location 1-8
- Summary 1-9

2 Introducing Oracle Fusion Middleware Platform

- Objectives 2-2
- Oracle Fusion Middleware 2-3
- Oracle SOA and Oracle WebCenter Suites 2-5
- Oracle Identity and Access Management 2-6
- Oracle Business Intelligence 2-7
- Oracle Portal, Forms, and Reports 2-8
- Web Tier Components 2-9
- Oracle Fusion Middleware Management Infrastructure 2-10
- Oracle Coherence: In-Memory Data Grid 2-11
- Relationship of Fusion Middleware Products to WebLogic Server 2-12
- Typical Oracle Fusion Middleware Environment 2-13
- Summary 2-14
- Practice 2 Overview: Logging In to the Lab Environment 2-15

3 Defining Java Enterprise Edition Terminology and Architecture

- Objectives 3-2
- Distributed Systems 3-3
- How Standards Help 3-5
- Java EE Standard 3-6
- Java EE Architecture 3-8
- Java Servlets 3-9
- `SimplestServlet.java` 3-10
- JavaServer Pages (JSP) 3-11
- `realsimple.jsp` 3-12

Enterprise JavaBeans (EJBs)	3-13
Java Database Connectivity (JDBC)	3-14
Java Naming and Directory Interface (JNDI)	3-15
JNDI Tree	3-16
JNDI Contexts and Subcontexts	3-17
Java Transaction API (JTA)	3-18
Java Message Service (JMS)	3-19
Java Authentication and Authorization (JAAS)	3-20
Java Management Extension (JMX)	3-21
Java EE Connector Architecture (JCA)	3-22
Client Application	3-23
Web Client	3-24
Proxy Server	3-25
Web Server	3-26
Firewalls	3-27
Application Servers	3-28
Web Application Server Configuration	3-29
Application Server Configuration	3-30
Quiz	3-31
Summary	3-32
Practice 3 Overview: Defining Terminology and Architecture	3-33

4 Installing Oracle WebLogic Server 11g

Objectives	4-2
Road Map	4-3
Oracle WebLogic Server Installation	4-4
System Requirements	4-5
GUI Mode Installation	4-6
Choosing or Creating a Home Directory	4-7
Registering for Support	4-8
Choosing an Installation Type and Products	4-9
Choosing the JDK and Product Directory	4-10
Installation and Summary	4-11
QuickStart	4-12
Road Map	4-13
Console and Silent Mode Installations	4-14
Postinstallation: Oracle Home	4-15
Oracle WebLogic Server Directory Structure	4-16
Setting Environment Variables	4-18
Defining Environment Variables	4-19
List of Environment Variables and Their Meanings	4-21

- Documentation 4-23
- Road Map 4-24
- Specialized Installations 4-25
- Downloading Software from OTN 4-27
- Quiz 4-28
- Summary 4-31
- Practice 3 Overview: Installing Oracle WebLogic Server 11g 4-32

5 Configuring a Simple Domain

- Objectives 5-2
- Road Map 5-4
- Domain: Overview 5-5
- Domain Diagram 5-7
- Configuring a Domain 5-8
- Starting the Domain Configuration Wizard 5-10
- Creating a Domain Using the Domain Configuration Wizard 5-11
- Creating a New WebLogic Domain and Selecting the Domain Source 5-12
- Configuring Administrator Settings 5-13
- Configuring Startup Mode and JDK 5-14
- Customizing Optional Configuration 5-15
- Configuring the Administration and Managed Servers 5-16
- Configuring Clusters and Assigning Servers to Clusters 5-17
- Creating an HTTP Proxy Application and Configuring Machines 5-19
- Assigning Servers to Machines 5-21
- Configuring JDBC Data Sources 5-22
- Testing Data Source Connections 5-25
- Running Database Scripts 5-26
- Configuring the JMS File Store 5-27
- Customizing Application and Service Targeting Configuration 5-29
- Configuring RDBMS Security Store Database 5-30
- Reviewing the WebLogic Domain 5-32
- Creating the WebLogic Domain 5-33
- Domain Directory Structure 5-34
- Road Map 5-36
- JVM Run-Time Arguments 5-37
- Oracle WebLogic Server Dependencies 5-38
- Configuring CLASSPATH 5-39
- Starting Oracle WebLogic Administration Server 5-41
- Starting Administration Server Using `startWebLogic.sh` 5-43
- Starting the Administration Server by Using the `java weblogic.Server` Command 5-45

Stopping the Administration Server 5-46
Quiz 5-47
Summary 5-52
Practice 5 Overview: Configuring a Simple Domain 5-53

6 Configuring a Domain Using Templates

Objectives 6-2
Road Map 6-3
Custom Domain Templates 6-4
Domain Template Builder 6-6
Creating a Domain Template 6-7
Comparing Domain Templates 6-8
wls.jar Template 6-9
MedRecTemplate.jar Template 6-10
Extending an Existing Domain 6-11
Select Which Existing Domain to Extend 6-12
Select What You Want to Extend it With 6-13
Resolving Conflicts 6-14
Summary Before Extending 6-15
Road Map 6-16
Templates for SOA, JDeveloper, and Others 6-17
oracle.soa_template_11.1.1.jar Template 6-18
WLS Configuration in the Context of Other Products in the Fusion Middleware Suite 6-20
RCU 6-21
SOA Installation 6-22
Quiz 6-23
Summary 6-26
Practice 6 Overview: Using a Domain Template 6-27

7 Using Administration Console and WLST

Objectives 7-2
Road Map 7-4
Benefits of Using the Administration Console 7-5
Accessing the Administration Console 7-6
Administration Console Login 7-7
Basic Navigation 7-8
Using the Help System 7-9
General Administration Console User Preferences 7-10
Advanced Console Options 7-11
Setting Basic Properties 7-12

Administration Console Monitoring	7-13
Configuration Change Management	7-14
Configuration Change Management Using the Administration Console Change Center	7-15
Domain Configuration Repository	7-16
Configuration Change Process	7-17
Configuration Management Architecture	7-18
XML Schema for <code>config.xml</code>	7-20
Road Map	7-22
WebLogic Scripting Tool (WLST)	7-23
Jython	7-24
Using Jython	7-25
WLST Modes	7-26
WLST Example	7-27
WLST Command Requirements	7-28
Running WLST Scripts	7-29
Importing WLST as a Jython Module	7-30
General WLST Commands	7-31
Offline WLST Commands	7-32
Creating a Domain: Example	7-33
Online WLST Commands	7-34
WebLogic JMX: Overview	7-35
Navigating JMX MBeans	7-36
Generating a WLST Script	7-37
Quiz	7-38
Summary	7-44
Practice 7 Overview: Using the Administrative Console and WLST	7-45

8 Configuring Managed Servers

Objectives	8-2
Road Map	8-3
Configuring Managed Servers	8-4
Creating a Managed Server with WLST	8-5
Starting Oracle WebLogic Managed Servers	8-7
Starting a Managed Server Using <code>startManagedWebLogic.sh</code>	8-8
Command-Line Requirements for Starting the Managed Server Using <code>java weblogic.Server</code>	8-10
Starting a Managed Server Using the Administration Console	8-12
Shutting Down a Server	8-13
Shutting Down a Domain	8-14

Creating a Boot Identity File 8-16
Monitoring All Servers 8-18
Customizing the View for All Servers 8-20
Monitoring Individual Servers 8-21
Demonstration 8-22
Road Map 8-23
Creating a Managed Server on a Remote Computer 8-24
pack and unpack: Examples 8-26
Road Map 8-27
Managed Server Independence (MSI) 8-28
MSI Search Order 8-29
When the Administration Server Is Down 8-31
Running Multiple WLS Instances 8-32
Quiz 8-33
Summary 8-38
Practice 8 Overview: Configuring a Managed Server 8-39

9 Configuring Node Managers

Objectives 9-2
Road Map 9-3
What Node Managers Can Do 9-4
Road Map 9-6
What Is a Machine? 9-7
Relationship of Machines to Other Components 9-8
Creating a Machine 9-9
Defining Names and OS of Machines 9-10
Assigning Servers to a Machine 9-11
Monitoring Machines and Servers 9-12
Configuring a Machine to Use a Node Manager 9-13
Node Manager Architecture 9-14
How a Node Manager Starts an Administration Server 9-15
How a Node Manager Starts a Managed Server 9-16
How a Node Manager Restarts an Administration Server 9-17
How a Node Manager Restarts a Managed Server 9-18
How a Node Manager Shuts Down a Server Instance 9-19
Versions of Node Managers 9-20
Road Map 9-22
Node Manager Default Behaviors 9-23
Configuring a Java-Based Node Manager 9-24
Reconfiguring the Startup Service for a Windows Installation 9-26
Node Manager as a UNIX Daemon 9-27

Reviewing <code>nodemanager.properties</code>	9-28
Configuring a Script-Based Node Manager	9-30
Creating Management OS Users	9-31
Additional Configuration Information	9-32
Configuring the <code>nodemanager.domains</code> File	9-33
Defining the Administration Server Address	9-34
Setting Node Manager Environment Variables	9-35
Node Manager Configuration and Log Files	9-36
Quiz	9-40
Summary	9-43
Practice 9 Overview: Configuring Machines and Node Managers	9-44

10 Viewing and Managing Logs in Oracle WLS Environment

Objectives	10-2
Road Map	10-3
Oracle WebLogic Server Logs	10-4
Server and Domain Logs	10-6
Configuring Server Logging	10-7
Configuring Server Logging: Advanced	10-8
HTTP Access Logs	10-10
Apache Commons Logging API	10-11
Using the Console to View Logs	10-12
Using WLST to View Logs	10-13
Message Attributes	10-14
Message Severity	10-15
Message Catalog Using the Web	10-16
Message Catalog Cross-Reference	10-17
Road Map	10-18
Log Filters	10-19
Creating a Log Filter	10-20
Applying a Log Filter	10-21
Using the Console to Monitor	10-22
Monitoring Running Servers	10-23
Customizing Views	10-24
Monitoring Individual Servers	10-25
Network-Addressing Environment	10-26
Network-Addressing Features	10-27
Quiz	10-28
Summary	10-29
Practice 10 Overview: Viewing and Managing WLS Logs	10-30

11 Deployment Concepts

- Objectives 11-2
- Road Map 11-3
- Overview of Deployment 11-4
- What Is Deployed? 11-5
- Deployment Process 11-7
- Deployment Methods 11-8
- Deployment Tools 11-9
- Console Deployment Method 11-10
- Console Deployment Production Mode 11-11
- Preparing a New Application 11-12
- Preparing a New Application: Targeting 11-13
- Preparing a New Application: Settings 11-14
- Deploying or Undeploying Applications 11-15
- Redeploying an Application 11-16
- Starting and Stopping an Application 11-17
- Editing Deployment Descriptors 11-18
- Monitoring an Application 11-19
- Application Testing 11-20
- Deleting Applications 11-21
- Command-Line Deployment 11-22
- Deployment with `weblogic.Deployer` 11-23
- More `weblogic.Deployer` Examples 11-24
- Deploying Applications with WLST 11-25
- Deploying an Application with WLST 11-26
- Deployment with WLST 11-27
- Road Map 11-28
- Production Mode Flag 11-29
- Autodeployment 11-30
- Autodeploying Using an Expanded Directory 11-31
- FastSwap and On-Demand Deployment 11-32
- Road Map 11-34
- Role of Web Servers 11-35
- A Typical Web Interaction 11-36
- MIME Types 11-38
- HTTP Status Codes 11-39
- Static Content 11-40
- Dynamic Content 11-41
- Configuring Oracle HTTP Server to Serve Multiple WebLogic Servers 11-42
 - `mod_wl_ohs.conf` 11-43

Verifying Ports Used by OHS	11-44
Quiz	11-45
Summary	11-48
12 Deploying Java EE Applications	
Objectives	12-2
Road Map	12-3
Java EE Web Applications	12-4
Packaging Web Applications	12-6
Web Application Structure	12-7
Web Application Archive	12-8
Optional Configuration of Web Applications	12-9
web.xml	12-10
weblogic.xml	12-11
weblogic.xml Deployment Descriptor	12-12
URLs and Web Applications	12-13
Web Service Applications	12-14
Virtual Directory Mappings	12-15
Virtual Directory Mapping: Example	12-16
Road Map	12-17
EJB Applications	12-18
Types of EJBs	12-19
EJB Application Structure	12-21
weblogic-ejb-jar.xml	12-22
Administrator Tasks with EJBs	12-23
Road Map	12-24
What Is an Enterprise Application?	12-25
Typical Java EE System	12-26
Java EE Enterprise Application	12-27
Why Enterprise Applications?	12-29
Enterprise Application Structure	12-30
weblogic-application.xml	12-31
Application Scoping	12-32
EAR Class Libraries	12-33
Java EE Library Support	12-34
WebLogic Java EE Shared Libraries	12-35
Shared Library References	12-36
Quiz	12-37
Summary	12-40
Practice 12 Overview: Web Application Deployment Concepts	12-41

13 Advanced Deployment

- Objectives 13-2
- Road Map 13-3
- What Is a Deployment Plan? 13-4
- Configuring an Application for Multiple Deployment Environments 13-5
- Sample Deployment Plan 13-7
- Creating a Deployment Plan 13-8
- Creating a New Deployment Plan 13-10
- `weblogic.PlanGenerator` 13-11
- Using the Administration Console to Generate a Deployment Plan 13-12
- Modifying and Saving Data to Create a New Plan 13-13
- New Deployment Plan Shows Changed Values 13-14
- Using an Existing Deployment Plan to Configure an Application 13-15
- Using an Existing Deployment Plan 13-17
- Directory Structure for Easier Production Deployment 13-18
- Generic File-Loading Overrides 13-19
- Performing a Sanity Check in Production Without Disruption to the Clients 13-20
- Road Map 13-21
- Staged Deployment 13-22
- Road Map 13-23
- Application Availability 13-24
- Production Redeployment and Application Versioning 13-25
- WebLogic Production Redeployment 13-27
- Production Redeployment 13-28
- Advantages of Production Redeployment 13-29
- Requirements and Restrictions for Production Redeployment 13-30
- Redeploying a New Application Version 13-31
- Redeploying Versus Distributing 13-32
- Distributing a New Version of the Production Application 13-33
- Distributing a New Application Version 13-35
- Production Redeployment 13-36
- Quiz 13-37
- Summary 13-40
- Practice 13 Overview: Deploying Production Applications 13-41

14 Understanding JDBC and Configuring Data Sources

- Objectives 14-2
- Road Map 14-3
- JDBC Review 14-4
- JDBC Data Sources 14-5

Data Source Scope 14-6
Multi-Tier Architecture 14-7
Type 4 Drivers 14-8
WebLogic JDBC Drivers 14-9
Road Map 14-10
What Is a Connection Pool? 14-11
JDBC Connection Pooling 14-12
Benefits of Connection Pools 14-13
Modular Configuration and Deployment of JDBC Resources 14-14
How Data Source Connection Pools Are Used 14-15
Creating a Data Source Using the Administration Console 14-16
Non-XA Configuration 14-17
Data Source Connection Properties 14-18
Test Configuration 14-19
Connection Pool Configuration 14-20
Connection Pool Advanced 14-21
Targeting a Data Source 14-22
Viewing the Server JNDI Tree via the Administration Console 14-23
Listing the JNDI Contents Via WLST 14-24
Demonstration 14-25
JDBC URLs 14-26
Connection Properties 14-27
Specifying Connection Properties 14-28
Road Map 14-29
Monitoring and Testing a Data Source 14-30
Connection Pool Life Cycle 14-31
Fixing an Offline Data Source 14-32
Quiz 14-33
Summary 14-36
Practice 14 Overview: Configuring JDBC Data Sources 14-37

15 Setting Up Java Message Service (JMS) Resources

Objectives 15-2
Road Map 15-3
Message-Oriented Middleware 15-4
Point-To-Point Queue 15-5
Publish/Subscribe Topics 15-6
Oracle WebLogic Server JMS Features 15-7
WebLogic JMS Architecture 15-9
Typical JMS Messaging Process 15-10
Transacted Messaging 15-11

- JMS Administrative Tasks 15-12
- Oracle WLS JMS Implementation 15-13
- Road Map 15-14
- Creating a JMS Server 15-15
- Configuring a JMS Server 15-16
- Targeting a JMS Server to a Managed Server 15-17
- JMS Modules 15-18
- Creating a JMS Module 15-20
- Modular JMS Resource Configuration and Deployment 15-21
- Connection Factories 15-22
- Creating a Connection Factory 15-24
- Configuring a Connection Factory 15-25
- Destination 15-26
- Queue Destinations 15-27
- Topic Destinations 15-28
- Creating a Destination (Topic) 15-29
- Threshold, Quota, and Paging 15-31
- Configuring Thresholds and Quotas 15-32
- Road Map 15-33
- Durable Subscribers and Subscriptions 15-34
- How a Durable Subscription Works 15-35
- Configuring a Durable Subscription 15-36
- Persistent Messaging 15-37
- Creating a JMS Store 15-38
- Creating a JDBC Store for JMS 15-39
- Creating a JMS JDBC Store 15-40
- Assigning a Store to a JMS Server 15-41
- Persistent Connection Factory 15-42
- Configuring Destination Overrides 15-43
- Road Map 15-44
- Monitoring JMS Servers 15-45
- Monitoring and Managing Destinations (Active Queues and Topics) 15-46
- Monitoring Queues 15-47
- Managing Messages in a Queue 15-48
- Quiz 15-49
- Summary 15-51
- Practice 15 Overview: Configuring JMS Resources 15-52

16 Introduction to Clustering

- Objectives 16-2
- Road Map 16-3

What Is a Cluster? 16-4
Benefits of Clustering 16-5
What Can Be Clustered 16-6
Proxy Servers for HTTP Clusters 16-7
High Availability for EJBs 16-8
Road Map 16-9
Selecting a Cluster Architecture 16-10
Cluster Architecture 16-11
Basic Cluster Architecture 16-12
Basic Cluster Architecture: Advantages and Disadvantages 16-13
Multitier Cluster Architecture 16-14
Multitier: Advantages and Disadvantages 16-15
Basic Cluster Proxy Architecture 16-17
Multitier Cluster Proxy Architecture 16-18
Proxy Web Server Plug-In Versus Load Balancer 16-19
Proxy Plug-Ins 16-20
OHS as Proxy Web Server 16-21
Request Flow When Using OHS 16-22
WLS `HttpClusterServlet` 16-23
Road Map 16-24
Server Communication in a Cluster 16-25
One-To-Many Communications 16-27
Considerations When Using Unicast 16-29
Peer-To-Peer Communications 16-30
Clusterwide JNDI Naming Service 16-31
Name Conflicts and Resolution 16-32
Quiz 16-33
Summary 16-35

17 Configuring a Cluster

Objectives 17-2
Road Map 17-3
Preparing Your Environment 17-4
Hardware 17-5
IP Addresses and Host Names 17-6
Cluster Address 17-7
Road Map 17-8
Methods of Configuring Clusters 17-9
Creating a Cluster by Using the Administration Console 17-10
Setting Cluster Attributes 17-12
Configuring Cluster Communication 17-13

Adding Cluster Members: Option 1 17-14
Adding Cluster Members: Option 2 17-15
Creating a Cluster with the Configuration Wizard 17-16
Creating a Cluster Using the Cluster MBean 17-17
Clusters and WLST 17-18
Synchronizing When Starting Servers in a Cluster 17-19
Configuring OHS as Proxy Server 17-21
Starting and Stopping OHS Manually 17-22
Verifying Access Through OHS 17-23
Successful Access of OHS Splash Page 17-24
Quiz 17-25
Summary 17-26
Practice 17 Overview: Configuring Clusters 17-27

18 Managing Clusters

Objectives 18-2
Road Map 18-3
Deploying Applications to a Cluster 18-4
Two-Phase Deployment 18-5
Considerations for Deploying to Cluster 18-6
Production Redeployment in a Cluster 18-7
Road Map 18-8
HTTP Session Failover 18-9
HTTP Session State Replication 18-10
HTTP Session In-Memory Replication 18-11
In-Memory Replication and Proxy Servers 18-12
In-Memory Replication 18-13
In-Memory Replication: Example 18-14
Requirements for In-Memory Replication 18-15
Configuring In-Memory Replication 18-16
Failover with Load Balancer 18-18
Replication Groups 18-19
Configuring Replication Groups 18-21
Replication Groups for Different Criteria 18-22
HTTP Session Persistence Using JDBC 18-23
Configuring JDBC Persistence 18-25
JDBC Persistent Table Configuration 18-26
HTTP Session Persistence Using Files 18-28
Configuring File Persistence 18-29
HTTP State Management Best Practices 18-31
Road Map 18-32

Clustering EJB Objects: Replica-Aware Stub	18-33
EJB: Server Failure Situations	18-34
Load-Balancing Clustered EJB Objects	18-35
Stateless Session Bean Failover	18-36
Configuring EJB Clustering in Deployment Descriptors	18-37
Configuring EJB Clustering Using the Administration Console	18-38
Configuring Clusterable Stateless Session EJBs	18-39
Stateful Session Beans	18-40
Configuring Clusterable Stateful Session EJBs	18-41
Read/Write Versus Read-Only	18-42
Entity Bean Cluster-Aware Home Stubs	18-43
EJB Best Practices	18-44
Quiz	18-45
Summary	18-49
Practice 18: Overview Managing Clusters	18-50

19 Security Concepts and Configuration

Objectives	19-2
Road Map	19-3
Introduction to Oracle WebLogic Security Service	19-4
Oracle Platform Security Services	19-5
Oracle WLS Security Architecture	19-6
Security Services	19-7
Overview of Security Concepts	19-8
Confidentiality	19-9
Credential Mapping	19-11
Road Map	19-12
Security Realms	19-13
Security Model Options for Applications	19-14
How WLS Resources Are Protected	19-16
Users and Groups	19-17
Configuring New Users	19-18
Groups	19-19
Configuring New Groups	19-20
Configuring Group Memberships	19-21
Embedded LDAP Server	19-22
Configuring an Embedded LDAP	19-23
Road Map	19-25
Security Roles	19-26
Configuring the Global Security Role	19-28
Security Policies	19-29

Policy Conditions	19-30
Protecting Web Applications	19-31
Specifying Protected Web Resources	19-32
Defining Policies and Roles for Other Resources	19-33
Configuring Authentication	19-34
Authentication Examples	19-35
Migrating Security Data	19-36
Exporting the WLS Default Authenticator Provider	19-38
Importing into a Different Domain	19-39
Summary	19-40
Practice 19: Overview Configuring Security for WLS Resources	19-41

20 Protecting Against Attacks

Objectives	20-2
Road Map	20-3
What Is SSL?	20-4
Trust and Identity	20-5
Using an SSL Connection	20-6
Enabling Secure Communication	20-8
Oracle WebLogic Server SSL Requirements	20-10
<code>keytool</code> Utility	20-11
Obtaining a Digital Certificate: <code>keytool</code> Examples	20-12
Configuring Keystores	20-14
Configuring SSL for an Oracle WebLogic Server	20-15
Road Map	20-16
Protecting Against Attacks	20-17
Man-in-the-Middle Attacks	20-18
Man-in-the-Middle: Countermeasures	20-19
Configuring a Hostname Verifier	20-21
Denial of Service Attacks	20-22
Denial of Service Attacks: Countermeasures	20-23
Filtering Network Connections	20-24
Connection Filter	20-25
Excessive Resource Consumption	20-26
Large Buffer Attacks	20-27
Setting the Post Size	20-28
Connection Starvation	20-29
User Lockout	20-31
Configuring User Lockout	20-32
Unlocking Users	20-33
Protecting the Administration Console	20-34

Quiz 20-35
Summary 20-37
Practice 20: Overview Configuring Keystores 20-38

21 Backup and Recovery Operations

Objectives 21-2
Road Map 21-3
Review of Terms and Components 21-4
Homes: Oracle, Middleware, WebLogic 21-6
Understanding Backup and Recovery 21-7
Types of Backups 21-9
Backup Recommendations 21-11
Limitations and Restrictions for Backing Up Data 21-12
Performing a Full Offline Backup 21-13
Backing Up a Domain Configuration 21-15
Backing Up an Instance Home 21-16
Creating a Record of Installations 21-17
Road Map 21-18
Directories to Restore 21-19
Recovery After Disaster 21-20
Recovery of Homes 21-21
Recovery of a Managed Server 21-22
Recovery of the Administration Server Configuration 21-23
Restarting an Administration Server on a New Computer 21-24
Recovery of a Cluster 21-25
Restoring OPMN-Managed Components to a New Computer 21-26
Quiz 21-27
Summary 21-32
Practice 21 Overview: Backing Up and Restoring Configuration and Data 21-33

Index

Glossary

