

Oracle WebLogic Server 12c: Administration I

Student Guide – Volume 1

D80149GC10

Edition 1.0

July 2013

D82757

ORACLE®

Authors

Bill Bell
Elio Bonazzi
TJ Palazzolo
Steve Friedberg

Technical Contributors and Reviewers

Mark Lindros
Will Lyons
Serge Moiseev
Matthew Slingsby
Angelika Krupp
Kevin Tate
Takyiu Liu
Jenny Wongtangswad
Juan Quezada
Radek Felcman
Matt Heimer
Saskia Nehls
Juan Aduco Quezada

Editors

Aju Kumar
Malavika Jinka

Graphic

Seema Bopaiah

Publishers

Giri Venugopal
Jayanthi Keshavamurthy

Copyright © 2013, Oracle and/or its affiliates. All rights reserved.

Disclaimer

This document contains proprietary information and is protected by copyright and other intellectual property laws. You may copy and print this document solely for your own use in an Oracle training course. The document may not be modified or altered in any way. Except where your use constitutes "fair use" under copyright law, you may not use, share, download, upload, copy, print, display, perform, reproduce, publish, license, post, transmit, or distribute this document in whole or in part without the express authorization of Oracle.

The information contained in this document is subject to change without notice. If you find any problems in the document, please report them in writing to: Oracle University, 500 Oracle Parkway, Redwood Shores, California 94065 USA. This document is not warranted to be error-free.

Restricted Rights Notice

If this documentation is delivered to the United States Government or anyone using the documentation on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS

The U.S. Government's rights to use, modify, reproduce, release, perform, display, or disclose these training materials are restricted by the terms of the applicable Oracle license agreement and/or the applicable U.S. Government contract.

Trademark Notice

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Contents

1 Course Overview

- Objectives 1-2
- Target Audience 1-3
- Introductions 1-4
- Course Schedule 1-5
- Course Practices 1-7
- Classroom Guidelines 1-8
- For More Information 1-9
- Related Training 1-10

2 WebLogic Server: Overview

- Objectives 2-2
- Distributed Systems 2-3
- Java Platform Enterprise Edition 2-4
- Oracle WebLogic Server 2-5
- JVM 2-7
- (Possible) System Architecture 2-8
- WebLogic Server Domain 2-9
- Administration Server 2-10
- Managed Servers 2-11
- Node Manager 2-12
- Machines and Clusters 2-13
- WebLogic Server Application Services 2-14
- WebLogic Server Application: Example 2-15
- WebLogic Server Administrative Tools 2-16
- WebLogic Server Administration Console 2-18
- WLST 2-19
- WLDF 2-22
- WLDF Monitoring Dashboard 2-23
- Enterprise Manager Cloud Control 2-24
- Quiz 2-25
- Summary 2-27

3 Installing and Patching WebLogic Server

- Objectives 3-2
- Determining Supported System Configurations 3-3
- Ensuring Your System Meets Requirements 3-4
- When Not All FMW Is the Same Version 3-5
- WebLogic Server Installers 3-6
- Generic Installers 3-7
- What Is Oracle Coherence? 3-9
- FMW Installation Flow 3-10
- WebLogic Server Installation Modes 3-11
- Installing WebLogic Server on Linux (Graphical Mode) 3-12
- Installation Problems 3-18
- Sample Installation Directory Structure 3-19
- Uninstalling WebLogic Server 3-20
- Applying Patches by Using OPatch 3-21
- Quiz 3-22
- Summary 3-24
- Practice 3-1 Overview: Installing WebLogic Server 3-25
- Practice 3-2 Overview: Patching WebLogic Server 3-26

4 Creating Domains

- Objectives 4-2
- Domain Planning Questions 4-3
- Virtual IP Address and Virtual Host Name 4-6
- Domain Mode: Development 4-7
- Domain Mode: Production 4-8
- Domain Creation Tools 4-9
- Domains Are Created from Templates 4-10
- Creating Domains 4-11
- Where to Place the Domain 4-12
- Creating a Domain with the Configuration Wizard 4-13
- Admin Server Listen Address 4-20
- Creating a Domain with the Configuration Wizard 4-21
- Domain File Structure 4-29
- Creating a Domain to Support FMW Components 4-30
- The Domain on Other Hardware 4-32
- Creating the Domain Archive: Pack 4-33
- Using the Domain Archive: Unpack 4-34

Quiz 4-35

Summary 4-37

Practice 4-1 Overview: Creating a New Domain 4-38

Practice 4-2 Overview: Copying a Domain to a New Machine 4-39

5 Starting Servers

Objectives 5-2

WebLogic Server Life Cycle 5-3

Starting WebLogic Server with a Script 5-5

Creating a Boot Identity File 5-6

Stopping WebLogic Server 5-7

Suspend and Resume 5-8

Customizing Standard Scripts 5-9

WebLogic Server Options 5-10

Changing the JVM 5-12

JVM Options 5-13

Modifying the CLASSPATH 5-14

WebLogic Server Startup Issues 5-17

Failed Admin Server 5-18

Restarting a Failed Admin Server: Same Machine 5-19

Restarting a Failed Admin Server: Different Machine 5-20

Restarting a Failed Managed Server: Same Machine 5-21

Restarting a Failed Managed Server: Different Machine 5-22

Quiz 5-23

Summary 5-25

Practice 5-1 Overview: Starting and Stopping Servers 5-26

6 Using the Administration Console

Objectives 6-2

Accessing the Administration Console 6-3

Administration Console Login 6-4

Basic Navigation 6-5

Tabular Data 6-6

Customizing a Table 6-7

Admin Console Preferences 6-8

Advanced Console Options 6-10

Administration Console Change Center 6-12

Admin Console: Creating Domain Resources 6-13

Creating a Resource Example: New Server 6-14

Modifying a Resource Example: Server 6-17

Admin Console: Monitoring Domain Resources 6-19

Admin Console: Controlling Domain Resources 6-20
Enterprise Manager Cloud Control 6-21
Quiz 6-23
Summary 6-25
Practice 6-1 Overview: Using the Administration Console for Configuration 6-26

7 Configuring JDBC

Objectives 7-2
JDBC: Overview 7-3
WebLogic JDBC Drivers 7-4
Global Transactions: Overview 7-5
Two-Phase Commit 7-6
JDBC Data Source 7-7
Java Naming and Directory Interface (JNDI) 7-9
JNDI Duties of an Administrator 7-10
Deployment of a Data Source 7-11
Targeting of a Data Source 7-12
Types of Data Sources 7-13
Creating a Generic Data Source 7-14
Non-XA Driver Transaction Options 7-17
Creating a Generic Data Source 7-18
Connection Pool Configuration 7-21
Connection Properties 7-23
Testing a Generic Data Source 7-24
Oracle Real Application Clusters: Overview 7-25
GridLink Data Source for RAC 7-26
GridLink , FCF, and ONS 7-27
GridLink and Services 7-28
GridLink and Single Client Access Name (SCAN) 7-29
Creating a GridLink Data Source 7-30
Common Data Source Problems 7-36
Basic Connection Pool Tuning 7-40
Quiz 7-43
Summary 7-45
Practice 7-1 Overview: Configuring a JDBC Data Source 7-46

8 Monitoring a Domain

Objectives 8-2
WebLogic Server Logs 8-3
WebLogic Server Log Locations 8-5
Log Message Severity Levels 8-6

- Understanding Log File Entries 8-8
- Accessing the Logs from the Admin Console 8-9
- Configuring Server Logging 8-11
- Error Messages Reference 8-14
- Log Filters 8-15
 - Creating a Log Filter 8-16
 - Applying a Log Filter 8-19
- Subsystem Debugging 8-20
 - Debug Scopes 8-21
 - Debug Scopes: Examples 8-22
- Admin Console: Monitoring Domain Resources 8-23
 - Monitoring the Domain 8-24
 - Monitoring All Servers 8-25
 - Monitoring Server Health 8-26
 - Monitoring Server Performance 8-27
 - Monitoring Data Source Health 8-28
 - Example Data Source Performance Attributes 8-29
- JMX, MBeans, Managing, and Monitoring 8-30
 - Monitoring Dashboard 8-31
 - Monitoring Dashboard Interface 8-32
 - Views 8-33
 - Built-in Views 8-34
 - Creating a Custom View 8-35
 - Anatomy of a Chart 8-36
 - Current or Historical Data 8-37
 - Quiz 8-38
 - Summary 8-40
- Practice 8-1 Overview: Working with WebLogic Server Logs 8-41
- Practice 8-2 Overview: Monitoring WebLogic Server 8-42

9 Node Manager

- Objectives 9-2
- Node Manager 9-3
 - Two Types of Node Manager 9-5
 - Node Manager Architecture: Per Machine 9-6
 - Node Manager Architecture: Per Domain 9-7
 - How Node Manager Starts a Managed Server 9-8
 - How Node Manager Can Help Shut Down a Managed Server 9-9
- Configuration Wizard and Node Manager 9-10
- Configuring the Java-Based Node Manager 9-12
- Configuring Server Start and Health Monitoring Parameters 9-13

Configuring the Java-Based Node Manager	9-15
Other Node Manager Properties	9-17
Node Manager Files	9-18
Enrolling Node Manager with a Domain	9-21
When Not to Use nmEnroll()	9-22
Reminder: Pack	9-23
Reminder: Unpack	9-24
Controlling Servers Through Node Manager	9-25
Node Manager: Best Practices	9-26
Quiz	9-28
Summary	9-30
Practice 9-1 Overview: Configuring and Using Node Manager	9-31

10 Deploying Applications

Objectives	10-2
Deploying Applications to WebLogic Server	10-3
Software Life Cycle and WebLogic Server	10-4
Java EE Deployments	10-5
WebLogic Server Deployments	10-6
Other Deployments	10-7
Deployment Terms	10-9
Deployment Descriptors	10-12
Deployment Plans	10-13
Exploded Versus Archived Applications	10-14
Autodeploy	10-15
Server Staging Mode	10-16
WebLogic Server Deployment Tools	10-17
Starting and Stopping an Application	10-19
Deploying an Application	10-21
Undeploying an Application	10-26
Redeploying an Application	10-28
Monitoring Deployed Applications: Admin Console	10-30
Monitoring Information Available from the Admin Console	10-31
Monitoring Deployed Applications: Monitoring Dashboard	10-32
Application Errors	10-33
Application Testing	10-34
Performance Testing Methodology	10-35
Load and Stress Testing	10-36
Load Testing Tools	10-37
The Grinder	10-38
The Grinder Architecture	10-39

The Grinder Proxy 10-40
Agent Properties 10-41
The Grinder Console 10-42
Finding Bottlenecks 10-43
Correcting Bottlenecks 10-44
Quiz 10-46
Summary 10-48
Practice 10-1 Overview: Deploying an Application 10-49
Practice 10-2 Overview: Load Testing an Application 10-50

11 Network Channels and Virtual Hosts

Objectives 11-2
Default WebLogic Networking 11-3
Additional Networking Scenarios 11-5
Dedicating Network Interfaces to Specific Servers 11-6
Using Multiple Ports on a Single Server 11-7
Isolating Administrative Communication 11-8
Isolating Cluster Communication 11-9
Network Channel 11-10
Channel Selection 11-11
Creating a Channel 11-12
Channel Network Settings 11-15
Monitoring Channels 11-16
Administration Port 11-17
Configure the Domain's Administration Port 11-18
Server Override of the Administration Port 11-19
Server Standby Mode 11-20
Virtual Host 11-21
Create a Virtual Host 11-22
Configure a Virtual Host 11-23
Configure a Virtual Host in DNS or the hosts File 11-24
Deploy to a Virtual Host 11-25
Run the Application Using the Virtual Host 11-26
Quiz 11-27
Summary 11-29
Practice 11-1 Overview: Configuring a Network Channel 11-30
Practice 11-2 Overview: Configuring the Administration Port 11-31
Practice 11-3 Overview: Creating a Virtual Host 11-32

12 Clusters

- Objectives 12-2
- Cluster: Review 12-3
- Benefits of Clustering 12-5
- Basic (Single-Tier) Cluster Architecture 12-6
- Multi-Tier Cluster Architecture 12-7
- Architecture Advantages and Disadvantages 12-8
- Cluster Communication 12-10
- Creating a Cluster: Configuration Wizard 12-12
- Creating a Cluster: Administration Console 12-13
- Adding Servers to the Cluster: Administration Console 12-14
- Server Templates and Dynamic Clusters 12-15
- Creating a Dynamic Cluster 12-17
- Editing the New Dynamic Cluster 12-21
- Editing the New Server Template 12-22
- Dynamic Server Calculated Attributes 12-23
- Dynamic Server Calculated Attributes: Example 12-25
- Comparing Configured and Dynamic Clusters 12-26
- Creating a Server Template 12-27
- Server Templates and Configured Servers 12-29
- Quiz 12-30
- Summary 12-32
- Practice 12-1 Overview: Configuring a Cluster 12-33
- Practice 12-2 Overview: Configuring a Dynamic Cluster 12-34

13 Clusters

- Objectives 13-2
- A Cluster Proxy for a Web Application Cluster 13-3
- Proxy Plug-Ins 13-4
- Oracle HTTP Server (OHS) 13-5
- Installing and Configuring OHS (Part of Oracle Web Tier): Overview 13-7
- Configuring OHS as the Cluster Proxy 13-8
- httpd.conf and mod_wl_ohs.conf 13-9
- mod_wl_ohs.conf 13-10
- Some Plug-in Parameters 13-11
- Starting and Stopping OHS 13-13
- Verifying that OHS Is Running 13-15
- Successful Access of OHS Splash Page 13-16
- Failover: Detecting Failures and the Dynamic Server List 13-17
- HTTP Session Failover 13-19
- Configuring Web Application Session Failover: weblogic.xml 13-20

- In-Memory Session Replication 13-23
- In-Memory Replication: Example 13-24
- Configuring In-Memory Replication 13-27
- Machines 13-28
- Secondary Server and Replication Groups 13-29
- Replication Groups: Example 13-30
- Configuring Replication Groups 13-31
- File Session Persistence 13-32
- Configuring File Persistence 13-33
- JDBC Session Persistence 13-34
- JDBC Session Persistence Architecture 13-35
- Configuring JDBC Session Persistence 13-36
- JDBC Persistent Table Configuration 13-37
- Configuring a Hardware Load Balancer 13-39
- Hardware Load Balancer Session Persistence 13-40
- Passive Cookie Persistence and the WebLogic Server Session Cookie 13-41
- Quiz 13-42
- Summary 13-43
- Practice 13-1 Overview: Installing OHS (Optional) 13-44
- Practice 13-2 Overview: Configuring a Cluster Proxy 13-45
- Practice 13-3 Overview: Configuring Replication Groups 13-46

14 Clusters

- Objectives 14-2
- Review: Cluster Communication 14-3
- How Multicast Works 14-4
- How Unicast Works 14-5
- Unicast Versus Multicast 14-6
- Configure Multicast 14-7
- Configure Unicast 14-10
- Replication Channel 14-11
- Configure Replication Channels: Servers 14-12
- Configure Replication Channels: Cluster 14-15
- Configure Replication Channels 14-16
- Planning for a Cluster 14-17
- Managing a Cluster 14-21
- Troubleshooting a Cluster 14-22
- Monitoring a Cluster: Admin Console 14-23
- WebLogic Server and OHS Logs 14-24
- Common OHS to WLS Connectivity Issues 14-25
- Multicast Communication Issues 14-27

Cluster Member Uniformity 14-28
Session Failover Issues 14-29
Quiz 14-30
Summary 14-31
Practice 14-1 Overview: Configuring a Replication Channel 14-32

15 Transactions

Objectives 15-2
Transactions and ACID 15-3
Global Transactions, 2PC, and XA 15-5
WebLogic Server as a Transaction Manager 15-6
Transaction States when Committing 15-7
Transaction States when Rolling Back 15-8
Java Transaction API (JTA) 15-9
Configuring Transactions 15-10
JTA Configuration Options 15-11
WebLogic Extension of JTA 15-14
JDBC Reminder 15-15
Logging Last Resource and Performance 15-16
LLR: Example 15-17
Transaction Log (TLog) 15-18
Configuring the Default Store 15-19
Configuring a JDBC Transaction Log 15-20
Comparing File Store to JDBC Store 15-21
Monitoring Transactions 15-22
Viewing Transaction Statistics for a Resource 15-24
Forcing a Commit or Rollback 15-26
Troubleshooting Transactions 15-29
Quiz 15-31
Summary 15-33
Practice 15-1 Overview: Configuring Transaction Persistence 15-34

16 WebLogic Server Security

Objectives 16-2
Some Security Terms 16-3
Some Security Terms: Graphically 16-4
WebLogic Server Security Realm 16-5
What the Providers Do 16-6
Security Stores 16-9
Default Security Store Implementation 16-10
Default Security Configuration 16-11

Security Customization Approaches	16-12
Authentication Providers	16-13
Available Authentication Providers	16-14
Lightweight Directory Access Protocol (LDAP)	16-16
LDAP Structure	16-17
LDAP Search Operations	16-18
LDAP Query Basics	16-19
LDAP Authentication Providers	16-20
Available LDAP Authentication Providers	16-21
Creating a New LDAP Authentication Provider	16-22
Configuring the LDAP Provider: Connection	16-23
Configuring the LDAP Provider: Users	16-24
Configuring the LDAP Provider: Groups	16-25
Configuring the LDAP Provider: Subgroups	16-27
Configuring the LDAP Provider: Dynamic Groups	16-28
LDAP Failover	16-29
LDAP Caching	16-30
Multiple Authentication Providers	16-31
Control Flags	16-32
Administration Groups	16-34
Troubleshooting Authentication	16-35
Auditing Provider	16-36
Security Audit Events	16-37
Configuring the Auditing Provider	16-38
Security Realm Debug Flags	16-39
Common LDAP Issues	16-40
Quiz	16-41
Summary	16-44
Practice 16-1 Overview: Configuring an Authentication Provider	16-45

17 Backing Up a Domain and Upgrading WebLogic Server

Objectives	17-2
Backup and Recovery	17-3
Backup Solution	17-4
Types of Backups	17-6
When to Back Up	17-8
Limitations and Restrictions for Online Backups	17-9
Performing Full Offline Backup	17-10
Performing Full Online Backup	17-12
Impact of Administration Server Failure	17-14
Automatically Backing Up a Domain Configuration	17-15

Recovery Operations	17-16
Directories to Restore	17-19
Recovery After Disaster	17-20
Recovery of Homes	17-21
Recovery of a Managed Server	17-22
Recovery of the Administration Server	17-23
Restarting the Administration Server on a New Computer	17-24
Managed Server Independence	17-26
Upgrading WebLogic Server 11g to 12c	17-27
Run the Reconfiguration Wizard	17-30
Upgrade the Managed Server Domains	17-31
Upgrading WebLogic Server 11g to 12c	17-32
Quiz	17-33
Summary	17-34
Practice 17-1 Overview: Backing Up and Restoring a Domain	17-35