

Oracle WebLogic Server 12c: JMS Administration

Student Guide

D80844GC10

Edition 1.0

July 2013

D82749

ORACLE®

Author

TJ Palazzolo

Technical Contributors and Reviewers

Bill Bell

Mark Lindros

Will Lyons

Tom Barnes

David Cabelus

Matthew Slingsby

Takyiu Liu

Kevin Tate

Kathiravan Sengodan

Diganta Choudhury

Adam Rowe

Jose Alvarez

Alexander Ryndin

Glen Wilcox

Vinod Vydier

Venkata Motamarry

Sudhir Singh

Nageswara Nandimalla

Editors

Arijit Ghosh

Aju Kumar

Vijayalakshmi Narasimhan

Graphic Designers

Seema Bopaiah

Maheshwari Krishnamurthy

Publishers

Pavithran Adka

Sujatha Nagendra

Srividya Rameshkumar

Michael Sebastian

Copyright © 2013, Oracle and/or its affiliates. All rights reserved.

Disclaimer

This document contains proprietary information and is protected by copyright and other intellectual property laws. You may copy and print this document solely for your own use in an Oracle training course. The document may not be modified or altered in any way. Except where your use constitutes "fair use" under copyright law, you may not use, share, download, upload, copy, print, display, perform, reproduce, publish, license, post, transmit, or distribute this document in whole or in part without the express authorization of Oracle.

The information contained in this document is subject to change without notice. If you find any problems in the document, please report them in writing to: Oracle University, 500 Oracle Parkway, Redwood Shores, California 94065 USA. This document is not warranted to be error-free.

Restricted Rights Notice

If this documentation is delivered to the United States Government or anyone using the documentation on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS

The U.S. Government's rights to use, modify, reproduce, release, perform, display, or disclose these training materials are restricted by the terms of the applicable Oracle license agreement and/or the applicable U.S. Government contract.

Trademark Notice

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Contents

1 Oracle WebLogic Server 12c: JMS Administration: Overview

Course Objectives 1-2

Target Audience 1-3

Introductions 1-4

Course Schedule 1-5

Course Appendixes 1-6

Course Practices 1-7

Classroom Guidelines 1-8

For More Information 1-9

Related Training 1-10

2 Java Messaging Concepts

Objectives 2-2

Message-Oriented Middleware: Introduction 2-3

Why Messaging? 2-5

Synchronous and Asynchronous 2-6

Generic Messaging Terminology 2-7

Messaging Examples 2-8

Point-to-Point Model 2-9

Point-to-Point: Example 2-10

Publish/Subscribe Model 2-11

Publish/Subscribe: Example 2-12

Java Messaging Service (JMS): Introduction 2-13

JMS Providers 2-14

JMS Destinations 2-15

JMS Clients 2-16

JMS Connections 2-17

JMS Sessions 2-18

JMS Messages 2-19

Acknowledgments 2-20

JMS Communication: Example 2-21

Browsing Consumers 2-22

Message-Driven EJBs 2-23
Why Message-Driven EJBs? 2-24
Quiz 2-25
Summary 2-28

3 Basic Configuration

Objectives 3-2
JMS Server: Introduction 3-3
JMS Server Targeting 3-4
JMS Server: Best Practices 3-5
Creating a JMS Server 3-6
JMS Module: Introduction 3-7
Basic Module Resources 3-8
System and Application Modules 3-9
System Module Targeting 3-10
Creating a JMS System Module 3-11
Custom Connection Factories 3-13
Connection Factory Delivery Settings 3-14
Connection Factory Targeting 3-15
Adding a Connection Factory to a Module 3-16
Configuring Factory Default Settings 3-17
Destination Targeting 3-18
JMS Subdeployment 3-19
Subdeployment: Best Practices 3-20
Adding a New Subdeployment to a Module 3-21
Adding a Destination to a Module 3-22
Configuring Destination Delivery Overrides 3-24
Error Destination 3-25
Configuring an Error Destination 3-26
Quota: Introduction 3-27
Server and Destination Quotas 3-28
Configuring a JMS Server Quota 3-29
Adding a Quota to a Module 3-30
Assigning a Quota to a Destination 3-31
Quota Best Practices 3-32
Thresholds and Log Messages 3-33
JMS Template: Introduction 3-34
Adding a Template to a Module 3-35
Creating a Destination from a Template 3-36
Configuring an Existing Destination's Template 3-37
WLST Examples 3-38

Quiz 3-40
Summary 3-44
Practice 3-1: Creating and Testing a Basic Configuration 3-45

4 Message Monitoring and Management

Objectives 4-2
Why Monitor JMS? 4-3
JMS Monitoring Terminology 4-4
Monitoring a JMS Server 4-5
Monitoring Destinations on a JMS Server 4-6
Monitoring Connections and Sessions 4-7
Monitoring a Specific Destination 4-8
JMS and the Monitoring Dashboard 4-9
Monitoring Message-Driven EJBs 4-10
WLST JMS Runtime Hierarchy 4-12
Monitoring with WLST: Examples 4-13
WLST MDB Runtime Hierarchy 4-14
Viewing Messages on a Destination 4-15
Viewing Message Details 4-17
Message Type Considerations 4-18
Message States 4-19
Querying Messages 4-20
Message Selector: Examples 4-21
JMS Management: Overview 4-22
Destroying Connections 4-23
Deleting Messages 4-24
Creating a Test Message 4-25
Why Move Messages? 4-26
Moving Messages 4-27
Why Export Messages? 4-28
Exporting and Importing Messages 4-29
Sample Export File 4-30
Why Pause JMS? 4-31
Available JMS Operations to Pause 4-32
Pausing and Resuming JMS Operations 4-33
Management WLST Examples 4-34
Quiz 4-35
Summary 4-38
Practice 4-1 Monitoring and Managing JMS 4-39

5 Persistence, Transactions, and Durability

Objectives 5-2

Roadmap 5-3

WebLogic Persistent Store: Review 5-4

JMS Persistence: Overview 5-5

Producer Delivery Mode 5-6

Configuring the Delivery Mode 5-7

Persistent Store Options 5-8

Why Custom Stores? 5-9

Creating a Custom File Store 5-10

Initializing a Database for a JDBC Store 5-11

JDBC Data Source: Review 5-12

Creating a JDBC Store 5-13

Assigning a Store to a JMS Server 5-14

Configuration Wizard: Review 5-15

JMS Persistence and the Configuration Wizard 5-16

Roadmap 5-17

WebLogic Transaction Manager: Review 5-18

Transaction Log (TLOG): Review 5-19

Using JMS in Transactions 5-20

Local and XA Transactions 5-21

XA Transaction: Examples 5-22

Default Connection Factories 5-23

Configuring Transactions for a Custom Factory 5-24

Monitoring JMS Transactions 5-25

Monitoring and Managing JMS Transactions 5-26

Roadmap 5-27

Topics and Durable Subscribers 5-28

Durable Subscriber: Example 5-29

Configuring a Default Client ID 5-30

Shared Subscriptions 5-31

Configuring Shared Subscriptions 5-32

Monitoring and Managing Durable Subscribers 5-33

Quiz 5-35

Summary 5-40

Practice 5-1 Configuring and Testing Message Persistence 5-41

6 Distributed Destinations

Objectives 6-2

JMS Scalability Challenges 6-3

Review: Clusters 6-4

- JMS Clustering Options 6-5
- Dynamic Cluster Limitations 6-6
- Limitations of Targeting JMS to an Entire Cluster 6-7
- Targeting JMS to a Cluster 6-8
- Clustered JMS Architecture 6-9
- Naming Conventions for Dynamic Resources 6-10
- Monitoring JMS Server Instances 6-11
- What Is a Distributed Destination? 6-12
- Targeting Distributed Destinations to a Clustered JMS Server 6-13
- Targeting Distributed Destinations to Multiple JMS Servers 6-14
- Distributed Destination Connectivity 6-15
- JNDI Access in a Cluster 6-16
- Distributed Queue Architecture 6-17
- Message Forwarding with Distributed Queues 6-18
- Distributed Topic Options 6-19
- Partitioned Distributed Topic Architecture 6-20
- Replicated Distributed Topic Architecture 6-21
- Server Affinity 6-22
- Producer Transaction Affinity 6-23
- More Load Balancing Considerations 6-24
- Message-Driven EJBs and Distributed Destinations 6-25
- Creating a Distributed Destination 6-26
- Configuring Client Failover for Connection Factories 6-27
- Configuring Load Balancing for Connection Factories 6-28
- Configuring Message Forwarding for Distributed Queues 6-29
- Distributed Destinations and the Configuration Wizard 6-30
- Distributed Destination WLST: Example 6-31
- Monitoring Destination Members 6-32
- Scaling Down a JMS Cluster 6-33
- Quiz 6-34
- Summary 6-37
- Practice 6-1 Creating and Testing Distributed Destinations 6-38

7 Server Migration

- Objectives 7-2
- Pinned Services 7-3
- JMS High Availability (HA) Challenges 7-4
- Orphaned Message Example 7-5
- High Availability Options for JMS Clusters 7-6
- Virtual Machine Migration for JMS HA 7-7
- What Is Whole Server Migration? 7-8

- Server Migration Prerequisites 7-9
- Server Migration Example: Before Failure 7-10
- Server Migration Example: After Failure 7-11
- Configuration Roadmap 7-12
- Targeting Distributed Destinations to Multiple JMS Servers 7-13
- Node Manager Migration Settings 7-14
- Cluster Leasing Service 7-15
- Server Migration Architecture 7-16
- Leasing Types 7-17
- Initializing a Database for Leasing 7-18
- Configuring Cluster Leasing 7-19
- Configuring Candidate Machines 7-20
- Enabling Automatic Migration for a Server 7-21
- Machine Failback 7-22
- Manual Server Migration 7-23
- Quiz 7-24
- Summary 7-27
- Practice 7-1 Migrating a Server 7-28

8 Service Migration

- Objectives 8-2
- What Is Service Migration? 8-3
- Service Migration Prerequisites 8-4
- Service Migration Architecture: Database Leasing 8-5
- Service Migration Architecture: Consensus Leasing 8-6
- Configuration Roadmap 8-7
- JTA Service Migration: Before Failure 8-8
- JTA Service Migration: After Failure 8-9
- Configuring JTA Service Migration 8-10
- JMS Service Migration: Before Failure 8-11
- JMS Service Migration: After Failure 8-12
- What Is a Migratable Target? 8-13
- Targeting JMS to Support Service Migration 8-14
- Service Migration Policy Options 8-15
- Failure Recovery Example 8-16
- Exactly-Once Example 8-17
- Default Migratable Targets 8-18
- Configuring a Migratable Target 8-19
- Assigning JMS Resources to a Migratable Target 8-21
- Migration Pre/Post Scripts 8-22
- Migrating Services Manually 8-23

Quiz 8-24
Summary 8-27
Practice 8-1 Migrating Services 8-28

9 Performance Tuning

Objectives 9-2
Tuning JMS: Overview 9-3
General Programming Considerations 9-4
Tuning Tools 9-5
Tuning Roadmap 9-6
Symptoms of an Overloaded Provider 9-7
Potential Solutions 9-8
Review: Tuning Server Heap 9-9
Quotas Review 9-10
Example: Quota Too Low 9-11
Example: Quota Too High 9-12
Message Paging 9-13
Tuning Message Paging 9-14
Tuning Persistent Stores 9-15
Tuning Roadmap 9-16
Potential Solutions to Slow Producers 9-17
Producer Timeout When Quota Is Full 9-18
Quota Blocking Policy 9-19
Flow Control 9-20
Flow Control Example 9-21
Flow Control Logic 9-22
Tuning Thresholds 9-23
Tuning Flow Control 9-24
Slow Network 9-25
Message Compression 9-26
Tuning Message Compression 9-27
One-Way Send Mode 9-28
One-Way Send Exceptions 9-29
Configuring One-Way Send Mode 9-30
Tuning Roadmap 9-31
Tuning the Consumer Message Pipeline 9-32
Message-Driven EJBs and Performance 9-33
MDB Transactions 9-34

Tuning Transaction Batches 9-35
Quiz 9-36
Summary 9-39
Practice 9-1 Tuning JMS Performance 9-40

10 Troubleshooting

Objectives 10-2
JMS Troubleshooting Tools 10-3
JMS Logging 10-4
Configuring JMS Logging 10-5
JMS Lifecycle Events 10-7
JMS Log Format 10-8
JMS Headers 10-9
JMS Properties 10-10
Review: WebLogic Debug Flags 10-11
JMS and Related Debug Scopes 10-12
JMS Debug Flags 10-13
MDB Debug Flags 10-14
Debug Output Example 10-15
Server Diagnostic Images 10-16
JMS and Diagnostic Images 10-17
Capturing a Diagnostic Image 10-18
Common Configuration Problems 10-19
Common Runtime Problems 10-20
Delayed Messages 10-21
Lost Messages 10-22
Duplicate Messages 10-23
Consumer Acknowledgment Modes 10-24
Distributed Topics and MDBs: Review 10-25
MDB Topic Distribution Modes 10-26
Poison Messages 10-27
Quiz 10-28
Summary 10-31
Related Training 10-32
Practice 10-1 Investigating JMS Problems 10-33

A WebLogic Server Review

Objectives A-2
Application Server A-3
Domain A-4
Cluster A-5

Configured and Dynamic Clusters A-6
Machine A-7
Node Manager A-8
Administration Console A-9
WebLogic Scripting Tool (WLST) A-10
Web Applications A-11
Enterprise JavaBean (EJB) Applications A-12
Java Naming and Directory Interface (JNDI) A-13
Summary A-14

B Introduction to JMS Security

Objectives B-2
WebLogic Security Terminology: Review B-3
WebLogic Roles and Policies B-4
JMS Security Example B-5
JMS Resources and Policies B-6
Creating a JMS Policy B-7
Creating a JNDI Policy B-10
Summary B-11

C Introduction to JMS Integration

Objectives C-2
General Integration Objectives C-3
Integration Roadmap C-4
Store and Forward (SAF) C-5
SAF Architecture C-6
SAF Configuration Overview C-7
Creating an SAF Agent C-8
Creating a Remote SAF Context C-9
Creating SAF Imported Destinations C-10
Integration Roadmap C-13
What Is a Java Resource Adapter? C-14
WebLogic JMS Resource Adapter C-15
JMS Adapter Architecture C-16
Adapter Deployment Overview C-17
Integration Roadmap C-18
Foreign Provider Architecture C-19
Foreign Provider Configuration Overview C-20
Creating a Foreign Server C-21
Integration Roadmap C-25
Oracle Advanced Queuing (AQ) Overview C-26

AQ Integration Overview C-27
Creating a Foreign Server for AQ C-28
Summary C-29

D Introduction to Message Ordering

Objectives D-2
Message Ordering D-3
What Is a Destination Sort Key? D-4
Creating a Destination Sort Key D-5
Using Sort Keys with Destinations D-7
Ordering Limitations D-8
What Is Unit of Order (UOO)? D-9
Configuring Unit of Order D-10
UOO and Distributed Destinations D-11
UOO Routing Options D-12
Creating a Path Service D-13
Configuring the Path Service for a Distributed Destination D-14
Summary D-15